

mongod sture

[List all commands](#) | [Replica set status](#)

Commands: [buildInfo](#) [cursorInfo](#) [features](#) [hostInfo](#) [isMaster](#) [listDatabases](#) [replSetGetStatus](#) [serverStatus](#) [top](#)

```
db version v2.4.5
git hash: a2ddc68ba7c9cee17bfe69ed840383ec3506602b
sys info: Linux ip-10-2-29-40 2.6.21.7-2.ee2.v1.2.fc8xen #1 SMP Fri Nov 20 17:48:28 EST 2009 x86_64 BOOST_LIB_VERSION=1_49
uptime: 239207 seconds
```

overview (only reported if can acquire read lock quickly)

```
time to get readlock: 0ms
# databases: 4
# Cursors: 2
replication:
replInfo: ?

--replSet sprawk
master: 1
slave: 0
```

clients

Client	OpId	Locking	Waiting	SecsRunning	Op	Namespace	Query	client	msg	progress
conn25078	28881728		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb23bef861af8f5e575a0') }	92.132.242.183:54185		
conn24963	28800594		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51ebafa3ef861af8f5e56e45') }	92.132.242.183:53721		
conn24962	28799592		{ waitingForLock: false }		2004	jerome5.Example	{ cl: ObjectId('4e4989d4c2e645c66db57d90'), lc: { \$in: ["fra"] } }	92.132.242.183:53716		
conn25081	28882294		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 0 }	92.132.242.183:54190		
conn25082	28882295		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 0 }	92.132.242.183:54191		
conn24964	28800673		{ waitingForLock: false }		2004	jerome5.Example	{ cl: ObjectId('4e4989d4c2e645c66db57d90'), lc: { \$in: ["ara"] } }	92.132.242.183:53722		
conn25083	28885215		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 0 }	92.132.242.183:54195		
conn25085	28885221		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb254ef861af8f5e57603') }	92.132.242.183:54196		
conn25086	28885218		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 0 }	92.132.242.183:54197		
conn25084	28885216		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 0 }	92.132.242.183:54194		
conn18953	28926479		{ waitingForLock: false }		2002	jerome5.TranslationResult		217.70.33.64:53425		
conn25525	29355442		{ waitingForLock: false }		2004		{ replSetGetStatus: 1 }	217.70.33.64:57199		
conn19125	26442156		{ waitingForLock: false }		2002	jerome5.TranslationResult		217.70.33.64:55012		
conn19132	26442606		{ waitingForLock: false }		2002	jerome5.HitLog		217.70.33.64:55085		
conn25163	29353153		{ waitingForLock: false }		2002	jerome5.TranslationResult		217.70.33.116:43657		
conn19126	29352278		{ waitingForLock: false }		2002	jerome5.HitLog		217.70.33.64:55017		
conn19131	26442529		{ waitingForLock: false }		2002	jerome5.HitLog		217.70.33.64:55084		
conn17143	28419238		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51eba215e4b07c23a60b3217') }	217.70.33.122:59096		
conn25158	29053411		{ waitingForLock: false }		2002	jerome5.HitLog		217.70.33.116:43652		
conn25147	29358156		{ waitingForLock: false }		2004		{ ismaster: 1 }	217.70.33.116:43643		
conn25152	29266279		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51ebc043ef861af8f5e5a9cc') }	92.132.242.183:54359		
conn25148	28925081		{ waitingForLock: false }		2002	jerome5.SystemLog		217.70.33.116:43645		
conn25153	29047249		{ waitingForLock: false }		2004	jerome5.Group	{ _id: ObjectId('4defe4887112ede06261f72f') }	92.132.242.183:54357		

conn25157	29053402		{ waitingForLock: false }		2002	jerome5.HitLog		217.70.33.116:43650		
conn25154	29254080		{ waitingForLock: false }		2004	jerome5.Example	{ count: "Example", query: { lc: "eng", \$or: [{ group: "flipsidez" }, { group: "all" }], tLcHash2: 882509462, textLc: "pottstown pa 19465", length: 18 } }	92.132.242.183:54360		
conn24871	29254067		{ waitingForLock: false }		2004	jerome5.Group	{ _id: ObjectId('5190a7c5e4b0c00233fe84ae') }	92.132.242.183:53587		
conn24990	28805072		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 31360 }	92.132.242.183:53753		
conn24993	28804755		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 31360 }	92.132.242.183:53757		
conn24991	28804754		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 31360 }	92.132.242.183:53754		
conn24994	28804757		{ waitingForLock: false }		2004	jerome5.Example	{ cl: ObjectId('4ed64d06ad1ad4703a08280c'), lc: { \$in: ["ara"] } }	92.132.242.183:53755		
conn24999	28805505		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 31360 }	92.132.242.183:53780		
conn24995	28804756		{ waitingForLock: false }		2004	jerome5.Example	{ cl: ObjectId('4e4a48ca3e7a45437db2592f'), lc: { \$in: ["ara"] } }	92.132.242.183:53756		
conn25062	28858961		{ waitingForLock: false }		2004	jerome5.Example	{ cl: ObjectId('4e255812337239b59c571b77'), lc: { \$in: ["sve"] } }	92.132.242.183:54149		
conn24992	28804753		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 31360 }	92.132.242.183:53752		
conn25093	28886106		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 0 }	92.132.242.183:54204		
conn25007	28810019		{ waitingForLock: false }		2004	jerome5.Group	{ _id: ObjectId('4defe4887112ede06261f72e') }	92.132.242.183:53792		
conn17081	28353727		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51eb9fd2e4b07c23a60aed42') }	217.70.33.122:58946		
conn19039	22527098		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51ead45e0cf2eaa17b72f2f3') }	217.70.33.64:54046		
conn17089	28419122		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51eba215e4b07c23a60b322a') }	217.70.33.122:58962		
conn17087	25747097		{ waitingForLock: false }		2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:58960		
conn17088	28367264		{ waitingForLock: false }		2004	jerome5.Example	{ cl: { \$in: [ObjectId('4fd3994e4b0e46020b7e6fc'), ObjectId('50ab219aef86dcd8789ce388'), ObjectId('4df1b00f3e7a3e71786acb74'), ObjectId('4df1b4ae3e7a3e71786b2f59'), ObjectId('4df1b1dd3e7a3e71786ad81b'), ObjectId('50ac5da0ef866e39bb79f4de'), ObjectId('50ace337ef8634ca7c1f7f25'), ObjectId('4fd207b7e4b0fd52fcee6e6'), ObjectId('4f43d857e4b098ef27932489'), ObjectId('50aef514ef8634ca7c20af59'), ObjectId('4f998ca3e4b0f3c46520ad9c')] }, lc: "sve" }	217.70.33.122:58961		
conn25468	29358527	X	{ waitingForLock: false }	0	2005	local.oplog.rs	{ ts: { \$gte: Timestamp 13744048130001690 } }	88.198.65.37:59955		
conn18846	22351980		{ waitingForLock: false }		2004	jerome5.Group	{ _id: ObjectId('4defe4887112ede06261f72f') }	217.70.33.64:52578		
conn25469	29358528	X	{ waitingForLock: false }	0	2005	local.oplog.rs	{ ts: { \$gte: Timestamp 1374404847000112 } }	88.198.65.37:59956		
conn18848	29229426		{ waitingForLock: false }		2002	jerome5.HitLog		217.70.33.64:52594		
conn18930	22435170		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51ead12e0cf2eaa17b72ce94') }	217.70.33.64:53320		
conn18929	22435020		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 2 }	217.70.33.64:53319		
conn18868	22355668		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51eacea40cf2eaa17b729b73') }	217.70.33.64:52761		
conn18933	22435332		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51ead1300cf2eaa17b72ceb2') }	217.70.33.64:53323		
conn18871	22355942		{ waitingForLock: false }		2004	jerome5.Group	{ kodoId: 2 }	217.70.33.64:52770		

conn19040	26442635		{ waitingForLock: false }	2004	config.settings	{}	217.70.33.64:57229		
conn19043	26442635		{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:54052		
conn19041	22527067		{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ead45e0cf2eaa17b72f2ee') }	217.70.33.64:54048		
conn19040	22527053		{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ead45d0cf2eaa17b72f2e7') }	217.70.33.64:54047		
conn19241	29014223		{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:56260		
conn18931	22435207		{ waitingForLock: false }	2004	jerome5.Group	{ kodold: 2 }	217.70.33.64:53321		
conn18519	29358355		{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.64:51307		
conn18932	22435206		{ waitingForLock: false }	2004	jerome5.Group	{ kodold: 2 }	217.70.33.64:53322		
conn25100	28888942		{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4df1b2453e7a3e71786ae16a'), lc: { \$in: ["sve"] } }	92.132.242.183:54211		
conn25149	29047195		{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4887112ede06261f72f') }	92.132.242.183:54355		
conn25155	29053403		{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.116:43648		
conn25150	29268582		{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebc059ef861af8f5e5aa14') }	92.132.242.183:54356		
conn25151	29254082		{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('5190a7c5e4b0c00233fe84ae') }	92.132.242.183:54358		
conn25161	28930787		{ waitingForLock: false }	2004	jerome5.system.indexes	{ ns: "jerome5.Example" }	92.132.242.183:54390		
initandlisten	7		{ waitingForLock: false }	2002	local.startup_log		0.0.0.0		
DataFileSync	0		{ waitingForLock: false }	0			:27017		
journal	2		{ waitingForLock: false }	0			:27017		
snapshotthread	4		{ waitingForLock: false }	0			:27017		
clientcursormon	5		{ waitingForLock: false }	0			:27017		
TTLMonitor	29354052		{ waitingForLock: false }	2004	local.system.indexes	{ expireAfterSeconds: { \$exists: true } }	0.0.0.0		
rsSync	63		{ waitingForLock: false }	0	local.replset.mininvalid		:27017		index: (3/3) btree-middle
websvr	9		{ waitingForLock: false }	0			:27017		
rsGhostSync	64		{ waitingForLock: false }	0			:27017		
rsSyncNotifier	65		{ waitingForLock: false }	0	local.me		:27017		index: (3/3) btree-middle
rsMgr	3814		{ waitingForLock: false }	2004	local.oplog.rs	{ query: {}, orderby: { \$natural: -1 } }	0.0.0.0		
rsBackgroundSync	62		{ waitingForLock: false }	0			:27017		
conn25079	28881139		{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb239ef861af8f5e5757d') }	92.132.242.183:54188		
repl writer worker 2	839	X	{ waitingForLock: false }	239146			:27017		
conn25091	28885944		{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb25cef861af8f5e57617') }	92.132.242.183:54199		
repl prefetch worker	682		{ waitingForLock: false }	0	jerome5.Cluster		:27017		

conn25092	28886107		{ waitingForLock: false }		2004	jerome5.Group	{ kodolId: 0 }	92.132.242.183:54202		
conn25089	28885468		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb257ef861af8f5e5760c') }	92.132.242.183:54198		
conn17137	25747567		{ waitingForLock: false }		2004	jerome5.Group	{ _id: ObjectId('4dfe4897112ede06261f745') }	217.70.33.122:59085		
conn17140	28443957		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51eba2e0e4b07c23a60b51c3') }	217.70.33.122:59092		
conn25127	28912811		{ waitingForLock: false }		2004	jerome5.Example	{ count: "Example", query: { lc: "eng", group: "all", wrongLanguage: false, tLcHash2: -1746895608, textLc: "a comparison between countries with and without quotas shows that the number of women in parliaments is higher in countries with quotas.", length: 136 } }	92.132.242.183:54277		
conn17139	28354115		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51eb9fd4e4b07c23a60aed6d') }	217.70.33.122:59090		
repl writer worker 1	998	X	{ waitingForLock: false }	239146	0			:27017		
repl prefetch worker	694		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	695		{ waitingForLock: false }		0	jerome5.ExtendedLog		:27017		
repl prefetch worker	696		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	697		{ waitingForLock: false }		0	jerome5.Example		:27017		
repl prefetch worker	698		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	699		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	700		{ waitingForLock: false }		0	jerome5.Cluster		:27017		
repl prefetch worker	701		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	702		{ waitingForLock: false }		0	jerome5.Example		:27017		
repl prefetch worker	703		{ waitingForLock: false }		0	jerome5.Example		:27017		
repl prefetch worker	704		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	705		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	706		{ waitingForLock: false }		0	jerome5.HitLog		:27017		
repl prefetch worker	707		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	708		{ waitingForLock: false }		0	jerome5.ExtendedLog		:27017		
slaveTracking	29358529		{ waitingForLock: false }		2001	local.slaves	{ _id: ObjectId('51ca8d437a7a7be7d610b260'), config: { _id: 1, host: "haga.transmachina.net:27017" }, ns: "local.oplog.rs" }	0.0.0.0		
repl writer worker 3	989	X	{ waitingForLock: false }	239146	0			:27017		
repl writer worker 4	902	X	{ waitingForLock: false }	239146	0			:27017		
repl writer worker 5	880	X	{ waitingForLock: false }	239146	0			:27017		
repl writer worker 6	899	X	{ waitingForLock: false }	239146	0			:27017		
conn17084	25747358		{ waitingForLock: false }		2004	jerome5.TranslationResult	{ _id: ObjectId('51eb3870e4b07c23a60259ef') }	217.70.33.122:58955		
conn19134	26442406		{ waitingForLock: false }		2002	jerome5.HitLog		217.70.33.64:55092		

		{ false }						
conn17085	28419258	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba216e4b07c23a60b325f') }	217.70.33.122:58956		
conn19135	26442523	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:55093		
conn19136	26442470	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:55094		
conn17099	28353651	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eb9fd2e4b07c23a60aed20') }	217.70.33.122:59000		
conn19065	29014248	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:54305		
conn19137	26442769	{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.64:55096		
conn17141	28569320	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59095		
conn19138	26442454	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:55097		
conn17103	25746530	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", group: "all", wrongLanguage: false, tLcHash2: -524073242, textLc: "fall 2005.", length: 10 } }	217.70.33.122:59009		
conn17104	28443947	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba2e1e4b07c23a60b51ed') }	217.70.33.122:59010		
conn25295	29244971	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.116:43798		
conn17096	28443217	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba2dae4b07c23a60b50e3') }	217.70.33.122:58980		
conn17092	28418984	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba215e4b07c23a60b322c') }	217.70.33.122:58971		
conn17102	28768478	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebae2ce4b07c23a60c053c') }	217.70.33.122:59008		
conn17094	25747561	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:58977		
conn25294	29244979	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.116:43796		
conn17097	25747998	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:58985		
conn17091	28443214	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba2dbe4b07c23a60b5104') }	217.70.33.122:58970		
conn17095	29297070	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", \$or: [{ group: "cn" }, { group: "all" }], tLcHash2: -1872230820, textLc: "pinatubo eruption in 1993;", length: 26 } }	217.70.33.122:58979		
conn25096	28886991	{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4e78903ae4b0b46efa21df3c'), lc: { \$in: ["esl"] } }	92.132.242.183:54206		
conn25047	28850271	{ waitingForLock: false }	2004	jerome5.Group	{ kodoId: 31360 }	92.132.242.183:54040		
conn25098	28888866	{ waitingForLock: false }	2004	jerome5.Group	{ kodoId: 2 }	92.132.242.183:54212		
conn25048	28844400	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb10eef861af8f5e57280') }	92.132.242.183:54041		
conn25099	28888935	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb273ef861af8f5e57660') }	92.132.242.183:54213		
conn25113	28898887	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb2eeef861af8f5e57a13') }	92.132.242.183:54245		
conn25056	28854910	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", group: "all", wrongLanguage: false, tLcHash2: -668382243, textLc: "we offer integration tools and a network of freelancer translators to quickly localize your website, application or service and reach new customers.", length: 148 } }	92.132.242.183:54118		
conn25057	28852987	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb162ef861af8f5e572ac') }	92.132.242.183:54119		
conn25114	28898891	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f746') }	92.132.242.183:54246		

conn25140	29266026	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebc042ef861af8f5e5a9c5') }	92.132.242.183:54321		
conn18874	22356100	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eacea80cf2eaa17b729ba9') }	217.70.33.64:52772		
conn25293	29244964	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.116:43794		
conn18940	22436708	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ead1360cf2eaa17b72cf6f') }	217.70.33.64:53340		
conn18875	22356097	{ waitingForLock: false }	2004	jerome5.Group	{ kodold: 2 }	217.70.33.64:52773		
conn19037	22525588	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ead4570cf2eaa17b72f26a') }	217.70.33.64:54038		
conn19036	22526478	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ead45a0cf2eaa17b72f2b5') }	217.70.33.64:54037		
conn24870	29358248	{ waitingForLock: false }	2004		{ ismaster: 1 }	92.132.242.183:53585		
conn17136	25747652	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", \$or: [{ group: "cn" }, { group: "all" }], tLcHash2: 1943987480, textLc: "forthcoming (spring 2008).", length: 26 } }	217.70.33.122:59084		
conn17131	25747263	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59072		
conn17138	28419242	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba215e4b07c23a60b3219') }	217.70.33.122:59086		
conn17130	25746445	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59071		
conn17134	29358245	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", group: "all", wrongLanguage: false, tLcHash2: -1849877698, textLc: "a joint project of international idea and stockholm university, the global database of quotas for women provides worldwide information on quota provis...", length: 179 } }	217.70.33.122:59076		
conn17133	28354278	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eb9fd5e4b07c23a60aed78') }	217.70.33.122:59075		
conn17132	29356693	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebc430e4b07c23a60d5382') }	217.70.33.122:59073		
conn17135	28419239	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba215e4b07c23a60b3238') }	217.70.33.122:59078		
conn17077	28418934	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba214e4b07c23a60b31ff') }	217.70.33.122:58937		
conn17076	29357616	{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.122:58936		
conn17071	25747564	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eb3870e4b07c23a6025a6a') }	217.70.33.122:58925		
conn17074	29352463	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:58930		
conn17070	28353736	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eb9fd2e4b07c23a60aed25') }	217.70.33.122:58909		
conn17069	29358246	{ waitingForLock: false }	2004		{ ismaster: 1 }	217.70.33.122:58906		
conn17075	25747592	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eb3870e4b07c23a6025a7f') }	217.70.33.122:58933		
conn19242	26442084	{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.64:56261		
conn17124	28353649	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eb9fd2e4b07c23a60aed1f') }	217.70.33.122:59057		
conn17117	25747073	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eb3870e4b07c23a602595d') }	217.70.33.122:59038		
conn17115	29295074	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebc172e4b07c23a60d17c7') }	217.70.33.122:59036		
conn25063	28858962	{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4df1b4053e7a3e71786b1b46'), lc: { \$in: ["sve"] } }	92.132.242.183:54150		
					{ count: "Example", query: { lc: "eng",			

conn17116	25746135	{ waitingForLock: false }	2004	jerome5.Example	{ \$or: [{ group: "cn" }, { group: "all" }], tLcHash2: -1770040003, textLc: "with leonardo avritzer.", length: 23 }	217.70.33.122:59037		
conn21407	27984646	{ waitingForLock: false }	2004	admin.Example	{ count: "Example" }	88.198.65.37:56643		
conn21408	26005672	{ waitingForLock: false }	2004	admin.Example	{ count: "Example" }	88.198.65.37:56642		
conn25182	29053405	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.116:43673		
conn21409	26913710	{ waitingForLock: false }	2004	admin.Example	{ count: "Example" }	88.198.65.37:56646		
conn17105	28367262	{ waitingForLock: false }	2004	jerome5.Example	{ cl: { \$in: [ObjectId('4fdf3994e4b0e46020b7e6fc'), ObjectId('50ab219aef86dcd8789ce388'), ObjectId('4df1b00f3e7a3e71786acb74'), ObjectId('4df1b4ae3e7a3e71786b2f59'), ObjectId('4df1b1dd3e7a3e71786ad81b'), ObjectId('50ac5da0ef866e39bb79f4de'), ObjectId('50aee337ef8634ca7c1f7f25'), ObjectId('4fd207b7e4b0fd52f6ceee6'), ObjectId('4f43d857e4b098ef27932489'), ObjectId('50aef514ef8634ca7c20af59'), ObjectId('4f998ca3e4b0f3c46520ad9c')] }, lc: "sve" }	217.70.33.122:59015		
conn17107	28768477	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebae2ce4b07c23a60e051c') }	217.70.33.122:59021		
conn25541	29358338	{ waitingForLock: false }	2004		{ replSetHeartbeat: "sprawk", v: 2, pv: 1, checkEmpty: false, from: "haga.transmachina.net:27017" }	88.198.65.37:60072		
conn17112	25747665	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59026		
conn17110	25747265	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59024		
conn17111	25747582	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59025		
conn17106	25746187	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", \$or: [{ group: "cn" }, { group: "all" }], tLcHash2: 1001914092, textLc: "journal of development studies.", length: 31 }	217.70.33.122:59020		
conn17098	25747619	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:58987		
conn17109	29357757	{ waitingForLock: false }	2004	jerome5.Example	{ \$msg: "query not recording (too large)" }	217.70.33.122:59023		
conn17108	25747218	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59022		
conn25138	28919415	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb3c0ef861af8f5e57c9b') }	92.132.242.183:54319		
conn25292	29310629	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.116:43792		
conn25136	28917872	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", \$or: [{ group: "qp" }, { group: "all" }], tLcHash2: -1875687705, textLc: "university of stockholm.", length: 24 }	92.132.242.183:54289		
conn25139	28919414	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebb3c0ef861af8f5e57c9d') }	92.132.242.183:54320		
conn25135	28917737	{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4df1adf53e7a3e71786aa59a'), lc: { \$in: ["fra"] } }	92.132.242.183:54288		
conn17121	25746451	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59053		
conn24898	28793211	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebaf54ef861af8f5e56cd9') }	92.132.242.183:53650		
conn17119	25747597	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eb3870e4b07c23a6025a83') }	217.70.33.122:59044		
conn17122	25746131	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59054		
conn24899	28793206	{ waitingForLock: false }	2004	jerome5.Group	{ kodolId: 32110 }	92.132.242.183:53649		
conn17120	28367970	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba04fe4b07c23a60afdde') }	217.70.33.122:59051		
conn25006	28807739	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4887112ede06261f72e') }	92.132.242.183:53791		

conn18942	22436629	{ waitingForLock: false }	2004	jerome5.Group	{ kodold: 2 }	217.70.33.64:53342		
conn17101	28443213	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eba2dbe4b07c23a60b5111')	217.70.33.122:59005		
conn17100	29352450	{ waitingForLock: false }	2004	jerome5.Group	{_id: ObjectId('4defe4897112ede06261f745')	217.70.33.122:59001		
conn17118	29356350	{ waitingForLock: false }	2004	jerome5.Group	{_id: ObjectId('4defe4897112ede06261f745')	217.70.33.122:59043		
conn19144	26541473	{ waitingForLock: false }	2005	jerome5.Unit	{ \$msg: "query not recording (too large)" }	217.70.33.64:55105		
conn21842	28547168	{ waitingForLock: false }	2004	admin.Example	{ count: "Example" }	88.198.65.37:57014		
conn19042	26442567	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:54051		
conn22820	28536076	{ waitingForLock: false }	2004	admin.Example	{ count: "Example" }	88.198.65.37:57811		
conn19145	26442537	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:55106		
conn18943	22437298	{ waitingForLock: false }	2004	jerome5.Group	{ kodold: 2 }	217.70.33.64:53345		
conn18580	26442157	{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.64:51453		
conn25097	28886940	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51ebb262ef861af8f5e57637') }	92.132.242.183:54208		
conn18872	22355989	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eacea80cf2eaa17b729ba2') }	217.70.33.64:52771		
conn18870	22355780	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eacea50cf2eaa17b729b85') }	217.70.33.64:52763		
conn18869	22355519	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eacea50cf2eaa17b729b7d') }	217.70.33.64:52762		
conn17147	28419241	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eba214e4b07c23a60b3206')	217.70.33.122:59100		
conn17145	28768479	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51ebae2ce4b07c23a60e04ec')	217.70.33.122:59098		
conn17144	28353689	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eb9fd1e4b07c23a60aed13')	217.70.33.122:59097		
conn17146	25747854	{ waitingForLock: false }	2004	jerome5.Group	{_id: ObjectId('4defe4897112ede06261f745')	217.70.33.122:59099		
conn21378	29103675	{ waitingForLock: false }	2004	admin.Example	{ count: "Example" }	88.198.65.37:56604		
conn19143	26442636	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:55104		
conn18879	26442206	{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.64:52828		
conn18865	22355717	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eacea50cf2eaa17b729b88') }	217.70.33.64:52758		
conn18937	22435583	{ waitingForLock: false }	2004	jerome5.Group	{ kodold: 2 }	217.70.33.64:53329		
conn18845	22352028	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eace2e0cf2eaa17b729aaf') }	217.70.33.64:52577		
conn18938	22435599	{ waitingForLock: false }	2004	jerome5.Group	{ kodold: 2 }	217.70.33.64:53330		
conn18867	22355661	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eacea50cf2eaa17b729b7e') }	217.70.33.64:52760		
conn18866	22355569	{ waitingForLock: false }	2004	jerome5.TranslationResult	{_id: ObjectId('51eacea50cf2eaa17b729b76') }	217.70.33.64:52759		
conn18934	22435542	{ waitingForLock: false }	2004	jerome5.Group	{ kodold: 2 }	217.70.33.64:53325		
conn18935	22435453	{ waitingForLock: false }	2004	jerome5.Group	{ kodold: 2 }	217.70.33.64:53326		
		{						

conn19240	26442181	{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.64:56259		
conn18936	22435596	{ waitingForLock: false }	2004	jerome5.Group	{ kodoId: 2 }	217.70.33.64:53328		
conn19139	26442638	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:55100		
conn18520	26442713	{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.64:51310		
conn18532	26442149	{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.64:51328		
conn18944	22437428	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ead1390cf2eaa17b72cfd') }	217.70.33.64:53346		
conn18518	29358524	{ waitingForLock: false }	2002	jerome5.TranslationResult		217.70.33.64:51303		
conn18513	22248154	{ waitingForLock: false }	2002	jerome5.SystemLog		217.70.33.64:51296		
conn19141	26442565	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:55102		
conn19142	26442560	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:55103		
conn19140	26442558	{ waitingForLock: false }	2002	jerome5.HitLog		217.70.33.64:55101		
conn24996	28805288	{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4eb29392e4b0339e0883e601'), lc: { \$in: ["ara"] } }	92.132.242.183:53769		
conn24961	28799540	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba9bef861af8f5e56e2b') }	92.132.242.183:53715		
conn25000	28805515	{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4e4989d1c2e645c66db57d72'), lc: { \$in: ["ara"] } }	92.132.242.183:53782		
conn25001	28805516	{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4eb29392e4b0339e0883e601'), lc: { \$in: ["ara"] } }	92.132.242.183:53781		
conn24997	28805280	{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4e4989d0c2e645c66db57d66'), lc: { \$in: ["ara"] } }	92.132.242.183:53770		
conn25129	28912907	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", group: "all", wrongLanguage: false, tLcHash2: 1491903201, textLc: "however, if the quota rules are unclear and do not match the electoral system in place, and if there are no sanctions for non-compliance and no rules ...", length: 269 } }	92.132.242.183:54276		
conn24998	28805274	{ waitingForLock: false }	2004	jerome5.Group	{ kodoId: 31360 }	92.132.242.183:53771		
conn25128	28912916	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", group: "all", wrongLanguage: false, tLcHash2: 1186183339, textLc: "in terms of number, electoral gender quotas can be a very efficient tool to rapidly increase women's representation in politics, or to start a process..." , length: 214 } }	92.132.242.183:54275		
conn17128	28768476	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51ebae2ce4b07c23a60c0553') }	217.70.33.122:59063		
conn25106	28893293	{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4df13b53808060d1509e1763'), lc: { \$in: ["sve"] } }	92.132.242.183:54226		
conn17129	29356505	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59064		
conn17127	25746261	{ waitingForLock: false }	2004	jerome5.Example	{ count: "Example", query: { lc: "eng", \$or: [{ group: "cn" }, { group: "all" }], tLcHash2: -1374179203, textLc: "in participatory budgeting." , length: 27 } }	217.70.33.122:59062		
conn17126	28418954	{ waitingForLock: false }	2004	jerome5.TranslationResult	{ _id: ObjectId('51eba215e4b07c23a60b3216') }	217.70.33.122:59061		
conn25107	28893286	{ waitingForLock: false }	2004	jerome5.Example	{ cl: ObjectId('4e2554dc337239b59c56eacb'), lc: { \$in: ["sve"] } }	92.132.242.183:54227		
conn17125	25746409	{ waitingForLock: false }	2004	jerome5.Group	{ _id: ObjectId('4defe4897112ede06261f745') }	217.70.33.122:59058		
conn25540	29358243	{ waitingForLock: false }	2004		{ replSetHeartbeat: "sprawk", v: 2, pv: 1, checkEmpty: false, from: "oden.transmachina.net:27017" }	217.70.33.64:57363		
conn25094	28886108	{ waitingForLock: false }	2004	jerome5.Group	{ kodoId: 0 }	92.132.242.183:54203		


```

12:40:58.483 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3
12:41:08.239 [conn18848] query jerome5.Example query: { query: { cExists: true, lc: "zho", group: "all", indices.textLc: { $in: [ "塞提二世" ] }, $hint: "indices.tex
12:41:09.357 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33385
12:41:13.941 [conn18848] query jerome5.Example query: { lc: "esl", group: "all", indices.text: { $in: [ "admissible" ] }, indices.textLc: { $in: [ "admissible" ] } } nto
12:41:14.931 [conn25335] authenticate db: local { authenticate: 1, nonce: "52f3c07fefa90587", user: "__system", key: "85646deb2470fab9b6e4ace22c86d6cc0" }
12:41:15.229 [conn25336] authenticate db: local { authenticate: 1, nonce: "be7b517b1cad1bfd", user: "__system", key: "fcc2ba13eeeb693303e0922323c3923" }
12:41:18.999 [conn18848] query jerome5.Example query: { lc: "esl", group: "all", indices.text: { $in: [ "jugar" ] }, indices.textLc: { $in: [ "jugar" ] } } nreturn:2
12:41:30.548 [conn18848] query jerome5.Example query: { query: { cExists: true, lc: "pol", group: "all", indices.textLc: { $in: [ "region gao" ] }, $hint: "indices.
12:41:30.729 [conn18848] insert jerome5.HitLog ninserted:1 keyUpdates:0 locks(micros) w:318421 159ms
12:41:31.435 [conn17134] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", $or: [ { group: "transmachina" }, { group: "all" } ], tLcHash2: 41869298
12:41:31.709 [conn18848] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:468603 234ms
12:41:31.933 [conn17134] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:113134 113ms
12:41:44.959 [conn25337] authenticate db: local { authenticate: 1, nonce: "290aa336c47e09e", user: "__system", key: "8e79f8f8fafd911d613fae2fe1ef8ec6" }
12:41:46.187 [conn25338] authenticate db: local { authenticate: 1, nonce: "b44cc067bb6529c5", user: "__system", key: "f74103f5648a45dd7baa09b488b3ec0" }
12:42:04.848 [conn18518] query jerome5.Example query: { lc: "esl", group: "all", indices.text: { $in: [ "actuar" ] }, indices.textLc: { $in: [ "actuar" ] } } nreturn
12:42:09.379 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33393
12:42:14.986 [conn25340] authenticate db: local { authenticate: 1, nonce: "be7ccc212060ae7e7", user: "__system", key: "f1061f4ed4358e7c8646d72cef30601a" }
12:42:16.236 [conn18848] query jerome5.Example query: { lc: "sve", group: "all", indices.text: { $in: [ "latitud" ] }, indices.textLc: { $in: [ "latitud" ] } } nreturn
12:42:17.068 [conn25341] authenticate db: local { authenticate: 1, nonce: "93b348a57877699", user: "__system", key: "52c1fa2c29811d6d341129e48f67592" }
12:42:18.855 [conn18518] query jerome5.Example query: { query: { lc: "deu", group: "all", indices.text: { $in: [ "lieben" ] }, indices.textLc: { $in: [ "lieben" ] } }, $
12:42:20.451 [conn18518] query jerome5.Example query: { lc: "deu", group: "all", indices.text: { $in: [ "lieben" ] }, indices.textLc: { $in: [ "lieben" ] } } nreturn
12:42:28.859 [conn25152] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", group: "all", wrongLanguage: false, tLcHash2: -660539514, textLc: "this
12:42:29.261 [conn18518] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:11519 11ms
12:42:29.775 [conn24871] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
12:42:29.776 [conn25152] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
12:42:37.440 [conn18848] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "suddenly" ] }, indices.textLc: { $in: [ "suddenly" ] } } nore
12:42:45.013 [conn25342] authenticate db: local { authenticate: 1, nonce: "d34ba851e57ffec", user: "__system", key: "ec5ce91elcfc5f7ac7732430c4cbcc2" }
12:42:48.043 [conn25343] authenticate db: local { authenticate: 1, nonce: "103317901cb9c88", user: "__system", key: "c0e8bdc344376470cb8d992ddc81cef4" }
12:42:58.770 [conn25250] command denied: { profile: -1 }
12:42:58.779 [conn25250] command denied: { profile: -1 }
12:42:58.783 [conn25250] command denied: { profile: -1 }
12:42:58.788 [conn25250] command denied: { profile: -1 }
12:43:09.399 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33401
12:43:13.101 [conn18518] query jerome5.Example query: { c1: ObjectId("4f6e384ce4b09b172d11c8ea") } nreturn:0 ntoskip:0 nscanned:99 keyUpdates:0 locks(micros) r:11992
12:43:15.039 [conn25345] authenticate db: local { authenticate: 1, nonce: "bcc399b35dc2179d", user: "__system", key: "5ce06f602ff8d35379c21f7e42abf12" }
12:43:19.004 [conn25346] authenticate db: local { authenticate: 1, nonce: "98d3bf2a9f8c283e", user: "__system", key: "96588fa0c370d2eddb2bc351b30744" }
12:43:24.650 [conn18518] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "fan" ] }, indices.textLc: { $in: [ "fan" ] } } nreturn:2000
12:43:31.267 [conn19126] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "altruism" ] }, indices.textLc: { $in: [ "altruism" ] } } nre
12:43:42.325 [conn19126] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "knit" ] }, indices.textLc: { $in: [ "knit" ] } } nreturn:200
12:43:45.062 [conn25347] authenticate db: local { authenticate: 1, nonce: "9958211709a35b7", user: "__system", key: "e9a83af3cf4b7e8af08ab788d082c65" }
12:43:48.644 [conn19126] query jerome5.Example query: { query: { lc: "nor", group: "all", indices.textLc: { $in: [ "gräte" ] }, indices.textLc: { $in: [ "gräte" ] } } nreturn:2
12:43:49.670 [conn19126] query jerome5.Example query: { lc: "nor", group: "all", indices.text: { $in: [ "gräte" ] }, indices.textLc: { $in: [ "gräte" ] } } nreturn:2
12:43:49.893 [conn25348] authenticate db: local { authenticate: 1, nonce: "503d18afc7d43a3c", user: "__system", key: "5b187000360a363f2113857e3c3fd605" }
12:43:56.131 [conn19126] query jerome5.Example query: { c1: ObjectId("4f5e48e4ad1a078bfed97e8") } nreturn:0 ntoskip:0 nscanned:97 keyUpdates:0 numYields: 2 locks(mi
12:43:59.094 [conn19126] query jerome5.Example query: { lc: "sve", group: "all", indices.text: { $in: [ "senap" ] }, indices.textLc: { $in: [ "senap" ] } } nreturn:2
12:44:03.403 [conn25140] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 9
12:44:07.697 [conn25163] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:224242 224ms
12:44:08.235 [conn19126] insert jerome5.HitLog ninserted:1 keyUpdates:0 locks(micros) w:563264 281ms
12:44:09.421 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33409
12:44:15.090 [conn25350] authenticate db: local { authenticate: 1, nonce: "548c6166ced2f2fd", user: "__system", key: "0db3aa3c4dedeff2577110bf428baa4c" }
12:44:20.853 [conn25351] authenticate db: local { authenticate: 1, nonce: "1e7c66c14cdd99a", user: "__system", key: "e7d18f52746b874be5852e8405f664c" }
12:44:27.283 [conn18519] query jerome5.Example query: { query: { lc: "sqi", group: "all", indices.textLc: { $in: [ "ashtu" ] }, $hint: "indices.textLc_1_group_1_lc_1
12:44:34.303 [conn18519] query jerome5.Example query: { lc: "sqi", group: "all", indices.text: { $in: [ "ashtu" ] }, indices.textLc: { $in: [ "ashtu" ] } } nreturn:2
12:44:37.922 [conn18848] query jerome5.Example query: { query: { cExists: true, lc: "pol", group: "all", indices.textLc: { $in: [ "marzec 2006" ] }, $hint: "indices
12:44:45.114 [conn25352] authenticate db: local { authenticate: 1, nonce: "6867c5e0e1e3f42", user: "__system", key: "d19c6b05b4d9735fb3e39c6c5c1d6d" }
12:44:51.739 [conn25353] authenticate db: local { authenticate: 1, nonce: "78fa35f516b6001", user: "__system", key: "0b85822aa431947d6224d9b793f6e2ae" }
12:45:04.084 [conn18848] query jerome5.Example query: { query: { lc: "msa", group: "all", indices.textLc: { $in: [ "bekerja" ] }, indices.textLc: { $in: [ "bekerja" ] } } n
12:45:08.734 [conn18848] query jerome5.Example query: { lc: "sve", group: "all", indices.text: { $in: [ "frack" ] }, indices.textLc: { $in: [ "frack" ] } } nreturn:2
12:45:09.443 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33417
12:45:15.143 [conn25355] authenticate db: local { authenticate: 1, nonce: "851f81e22bfaad88", user: "__system", key: "dde234794213bb180d8ba3457779e11" }
12:45:22.700 [conn25356] authenticate db: local { authenticate: 1, nonce: "8df2efac8959b76", user: "__system", key: "3bdcd13d0b8da16a7a560b59d335bbe" }
12:45:29.158 [conn17129] insert jerome5.ExternalTranslationLog ninserted:1 keyUpdates:0 locks(micros) w:292150 292ms
12:45:30.035 [conn18848] query jerome5.Example query: { query: { lc: "deu", group: "all", indices.text: { $in: [ "Skala" ] }, indices.textLc: { $in: [ "Skala" ] } }, $
12:45:31.777 [conn18848] query jerome5.Example query: { lc: "deu", group: "all", indices.text: { $in: [ "Skala" ] }, indices.textLc: { $in: [ "Skala" ] } } nreturn:2
12:45:33.992 [conn18519] query jerome5.Example query: { lc: "sve", group: "all", indices.text: { $in: [ "glömd" ] }, indices.textLc: { $in: [ "glömd" ] } } nreturn:2
12:45:36.488 [conn18848] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:201106 136ms
12:45:37.762 [conn18848] insert jerome5.Unit ninserted:1 keyUpdates:0 locks(micros) w:87566 138ms
12:45:42.066 [conn18519] query jerome5.Example query: { query: { lc: "nld", group: "all", indices.textLc: { $in: [ "westelijk" ] }, $hint: "indices.textLc_1_group_1
12:45:45.172 [conn25357] authenticate db: local { authenticate: 1, nonce: "1f9570747d99cfff", user: "__system", key: "73e58b6a439ffec3da69d42fcbc2eaf7" }
12:45:46.258 [conn18848] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "abdication" ] }, indices.textLc: { $in: [ "abdication" ] } } n
12:45:52.091 [conn18519] insert jerome5.HitLog ninserted:1 keyUpdates:0 locks(micros) w:567557 283ms
12:45:52.975 [conn19126] query jerome5.Example query: { query: { lc: "fra", group: "all", indices.textLc: { $in: [ "crâne" ] }, $hint: "indices.textLc_1_group_1_lc_1
12:45:53.329 [conn19126] query jerome5.Example query: { lc: "fra", group: "all", indices.text: { $in: [ "crâne" ] }, indices.textLc: { $in: [ "crâne" ] } } nreturn:2
12:45:53.563 [conn25358] authenticate db: local { authenticate: 1, nonce: "f38ab4dfc918089b", user: "__system", key: "10e921dca5096b835ee69fbb439e2dc9" }
12:46:09.464 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33425
12:46:15.196 [conn25360] authenticate db: local { authenticate: 1, nonce: "eac5671480c6375c", user: "__system", key: "1b5f938cd13262b6de2ed370501f1496" }
12:46:24.426 [conn25361] authenticate db: local { authenticate: 1, nonce: "ea3c2f7ba9db1d6e", user: "__system", key: "e70cb9a116a7e28431f354bda04a0812" }
12:46:28.044 [conn18518] query jerome5.Example query: { query: { lc: "uzb", group: "all", indices.textLc: { $in: [ "tuzgan" ] }, indices.textLc: { $in: [ "tuzgan" ] } } nreturn:2
12:46:29.122 [conn18518] update jerome5.Unit query: { _id: ObjectId("4eff26cde4b08c6e4efef167") } update: { _id: ObjectId("4eff26cde4b08c6e4efef167"), t: "STS-51-G", i
12:46:30.470 [conn17118] command jerome5.$cmd command: { count: "Example", query: { lc: "sve", group: "all", wrongLanguage: false, tLcHash2: -484871722, textLc: "index
12:46:34.879 [conn18518] insert jerome5.Unit ninserted:1 keyUpdates:0 locks(micros) w:60624 122ms
12:46:39.505 [conn18518] query jerome5.Example query: { query: { lc: "eng", group: "all", indices.textLc: { $in: [ "utah" ] }, $hint: "indices.textLc_1_group_1_lc_1
12:46:40.803 [conn18518] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "Utah" ] }, indices.textLc: { $in: [ "Utah" ] } } nreturn:200
12:46:41.422 [conn17129] insert jerome5.ExtendedLog ninserted:1 keyUpdates:0 locks(micros) w:46371 134ms
12:46:41.899 [conn17129] update jerome5.Example query: { _id: ObjectId("4e317a7b3e7a53688f089f92") } update: { _id: ObjectId("4e317a7b3e7a53688f089f92"), text: "The NC
12:46:45.224 [conn25362] authenticate db: local { authenticate: 1, nonce: "fe0bedb55664d1", user: "__system", key: "49b56746c7b1bf10746c68f18a101665" }
12:46:45.276 [conn17118] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", wordCount: { $lte: 19 }, group: "idea", indices.textLc: { $in: [ "nepali
12:46:49.060 [conn18519] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "feels" ] }, indices.textLc: { $in: [ "feels" ] } } nreturn:2
12:46:49.604 [conn25151] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lc: "sve" }, { wordCount: { $lte: 11 } }, { wordCount: { $gte: 7 } }, { p
12:46:51.233 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "fra" }, { wordCount: { $lte: 1
12:46:51.660 [conn24871] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 1
12:46:52.461 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "fra" }, { wordCount: { $lte: 1
12:46:55.312 [conn25363] authenticate db: local { authenticate: 1, nonce: "5312ea58b8ebf038", user: "__system", key: "eb305eada2df920d8b940bd2124f85d" }
12:46:58.060 [conn19126] query jerome5.Example query: { query: { lc: "ind", group: "all", indices.textLc: { $in: [ "dekat" ] }, indices.textLc: { $in: [ "dekat" ] } } nreturn:2
12:46:58.972 [conn19126] query jerome5.Example query: { lc: "ind", group: "all", indices.text: { $in: [ "dekat" ] }, indices.textLc: { $in: [ "dekat" ] } } nreturn:2
12:46:59.447 [conn18518] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "observation" ] }, indices.textLc: { $in: [ "observation" ] } }
12:47:02.447 [conn25250] command admin.$cmd command: { serverStatus: 1 } nreturn:1 keyUpdates:0 locks(micros) r:22 resLen:3390 505ms
12:47:02.590 [conn25151] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lc: "sve" }, { wordCount: { $lte: 5 } }, { wordCount: { $gte: 3 } }, { pa
12:47:02.774 [conn19126] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:356 178ms
12:47:03.585 [conn24871] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lc: "sve" }, { wordCount: { $lte: 8 } }, { wordCount: { $gte: 4 } }, { pa
12:47:09.485 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33433
12:47:12.759 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:47:15.316 [conn25365] authenticate db: local { authenticate: 1, nonce: "72ba49778211bf4e", user: "__system", key: "ec2af0b994d207f45efdfdd8e109454" }
12:47:26.288 [conn25366] authenticate db: local { authenticate: 1, nonce: "186d9371f8ba6d5c", user: "__system", key: "ac17ec3b97e8851261962ad6738c05" }
12:47:27.203 [conn18519] query jerome5.Example query: { query: { lc: "dan", group: "all", indices.textLc: { $in: [ "monarki" ] }, $hint: "indices.textLc_1_group_1_lc_1
12:47:28.180 [conn25163] command jerome5.$cmd command: { group: { ns: "WorkLog", key: { $: true }, cond: { p: "MINUTE", s: { $gt: new Date(1374400047946) }, $reduce:
12:47:28.181 [conn17134] query jerome5.Example query: { kododid: 9379918 } nreturn:1 ntoskip:0 nscanned:1 keyUpdates:0 locks(micros) r:91209 nreturned:1 resLen:42 334
12:47:29.121 [conn18519] query jerome5.Example query: { lc: "dan", group: "all", indices.text: { $in: [ "monarki" ] }, indices.textLc: { $in: [ "monarki" ] } } nreturn
12:47:29.321 [conn17118] command jerome5.$cmd command: { count: "Example", query: { indices.text: "alen", indices.textLc: { $all: [ "alen" ] }, lc: "sve", group: "all"
12:47:30.988 [conn19126] query jerome5.Example query: { query: { cExists: true, lc: "bos", group: "all", indices.textLc: { $in: [ "islam" ] }, $hint: "indices.textL
12:47:31.557 [conn18519] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:334727 167ms
12:47:34.713 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:47:35.822 [conn17134] command jerome5.$cmd command: { count: "Example", query: { lc: "sve", wordCount: { $lte: 6 }, group: "all", indices.textLc: { $in: [ "alen",
12:47:39.645 [conn17118] insert jerome5.Term ninserted:1 keyUpdates:0 locks(micros) w:93819 139ms
12:47:42.988 [conn18519] query jerome5.Example query: { query: { lc: "est", group: "all", indices.textLc: { $in: [ "üle" ] }, indices.textLc: { $in: [ "üle" ] } } nreturn:2000
12:47:43.273 [conn18519] query jerome5.Example query: { lc: "est", group: "all", indices.text: { $in: [ "üle" ] }, indices.textLc: { $in: [ "üle" ] } } nreturn:2000
12:47:45.346 [conn25367] authenticate db: local { authenticate: 1, nonce: "b4208e963cch44f", user: "__system", key: "35331c7f674fe668317470e0c9111556c" }
12:47:45.266 [conn25368] authenticate db: local { authenticate: 1, nonce: "c548266caaf0554", user: "__system", key: "99d84b67e2445df5eb6399a4505f3cb" }
12:47:59.771 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "ara" }, { wordCount: { $lte: 5
12:48:08.400 [conn19126] query jerome5.Example query: { lc: "uzb", group: "all", indices.text: { $in: [ "oldin" ] }, indices.textLc: { $in: [ "oldin" ] } } nreturn:2
12:48:09.506 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33441
12:48:09.571 [conn25370] authenticate db: local { authenticate: 1, nonce: "464145e3e8d344b", user: "__system", key: "92d86e45e46c52b2174e7d9d536bcbbcb" }

```

```

12:48:23.609 [conn18519] query jerome5.Example query: { lc: "ind", group: "all", indices.text: { $in: [ "Dewa" ] }, indices.textLc: { $in: [ "dewa" ] } } noretur:200
12:48:28.188 [conn25151] update jerome5.ExternalTranslationLog query: { c: "Title", fl: "eng", tl: "fra", user: "__system", key: "e840ce28a72c8a512161701d151c9320" } update: { $inc: { count: 1 } } nscanned:1 nupdated:1 keyUpda
12:48:28.243 [conn25371] authenticate db: local { authenticate: 1, nonce: "cbb0991402aeae812", user: "__system", key: "dd26f0477a6f8a19797cc5bce980208d" }
12:48:29.598 [conn18519] insert jerome5.Unit ninserted:1 keyUpdates:0 locks(micros) w:344854 444ms
12:48:32.136 [conn18518] query jerome5.Example query: { query: { cExists: true, lc: "ell", group: "all", indices.textLc: { $in: [ "ϕερντινάντ ντε σωσούρ" ] } }, $hint
12:48:32.302 [conn18518] insert jerome5.HitLog ninserted:1 keyUpdates:0 locks(micros) w:236721 118ms
12:48:36.465 [conn18518] query jerome5.Example query: { lc: "sve", group: "all", indices.text: { $in: [ "trafikolycka" ] }, indices.textLc: { $in: [ "trafikolycka" ] } }
12:48:45.400 [conn25372] authenticate db: local { authenticate: 1, nonce: "d8dd8e1f8f540c", user: "__system", key: "b138be40ca767754c6452605045a85" }
12:48:54.541 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:48:59.217 [conn25373] authenticate db: local { authenticate: 1, nonce: "92b121a0dab61778", user: "__system", key: "e840ce28a72c8a512161701d151c9320" }
12:49:00.619 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 3
12:49:02.751 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 3
12:49:09.528 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33449
12:49:12.334 [conn17129] query jerome5.Cluster query: { _id: ObjectId('4df1ae03e7a3e71786ab600') } noretur:1 idhack:1 keyUpdates:0 locks(micros) r:134989 reslen:626
12:49:13.474 [conn17129] command jerome5.$cmd command: { count: "Example", query: { cExists: true, lc: "sve", trans: "eng", text: /*.*Qinnehallshantering/E.*/ , length
12:49:13.650 [conn19126] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:352345 176ms
12:49:14.304 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:49:14.405 [conn19126] query jerome5.Example query: { query: { cExists: true, lc: "epo", group: "all", indices.textLc: { $in: [ "atenculo" ] } }, $hint: "indices.te
12:49:14.648 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:49:15.427 [conn25375] authenticate db: local { authenticate: 1, nonce: "7d5ef45d8649f5c4", user: "__system", key: "9deace3482efc80a4eeefb40ce9bdc25" }
12:49:20.986 [conn17134] command jerome5.$cmd command: { count: "Example", query: { cExists: true, lc: "sve", trans: "eng", text: /*.*Qkällspråk/E.*/ , length: { $gte:
12:49:21.428 [conn18518] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "Trends" ] }, indices.textLc: { $in: [ "trends" ] } } noretur:
12:49:28.385 [conn17129] query jerome5.ExternalTranslationLog query: { c: "encourage our business partners to strive for the same high levels of environmental performa
12:49:29.040 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 1
12:49:29.041 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 1
12:49:29.041 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 1
12:49:29.477 [conn18519] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "ull", lc: "nor" }, { $project: { f: 1, id: 0 } }, { $group
12:49:30.196 [conn25376] authenticate db: local { authenticate: 1, nonce: "a3b19408377050c1", user: "__system", key: "79ce1037eb9balf784643a96938c5520" }
12:49:31.768 [conn17129] query jerome5.ExternalTranslationLog query: { c: "review the impact on the environment during corporate planning and decision making", fl: "en
12:49:32.423 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 7
12:49:32.423 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 7
12:49:32.423 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 7
12:49:32.584 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 7
12:49:32.584 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 7
12:49:32.586 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "sve" }, { wordCount: { $lte: 7
12:49:33.263 [conn18519] query jerome5.Example query: { query: { cExists: true, lc: "sve", group: "all", indices.textLc: { $in: [ "Frukostbröd" ] } }, $hint: "indices
12:49:33.656 [conn17129] query jerome5.ExternalTranslationLog query: { c: "comply with all relevant environmental legislation", fl: "eng", tl: "sve" } noretur:1 ntos
12:49:34.112 [conn18848] query jerome5.Example query: { query: { cExists: true, lc: "deu", group: "all", indices.text: { $in: [ "Jules Renard" ] } }, indices.textLc:
12:49:34.188 [conn17129] command jerome5.$cmd command: { count: "Example", query: { cExists: true, lc: "eng", trans: "sve", wordCount: { $lte: 3 }, pattern: false, gr
12:49:34.188 [conn17118] command jerome5.$cmd command: { count: "Example", query: { cExists: true, lc: "eng", trans: "sve", wordCount: { $lte: 3 }, pattern: false, gr
12:49:34.189 [conn17134] command jerome5.$cmd command: { count: "Example", query: { cExists: true, lc: "eng", trans: "sve", wordCount: { $lte: 3 }, pattern: false, gr
12:49:37.284 [conn18519] query jerome5.Example query: { lc: "fra", group: "all", indices.text: { $in: [ "continuité" ] }, indices.textLc: { $in: [ "continuité" ] } } n
12:49:45.453 [conn25377] authenticate db: local { authenticate: 1, nonce: "2a2d82f37d274735", user: "__system", key: "5340aff2c1b1e34c849cb144f242e480" }
12:49:48.131 [conn18519] query jerome5.Example query: { query: { lc: "sve", group: "all", indices.textLc: { $in: [ "emmeline pankhurst" ] } }, $hint: "indices.textLc_1
12:49:59.818 [conn18519] query jerome5.Example query: { lc: "ell", group: "all", indices.text: { $in: [ "n" ] }, indices.textLc: { $in: [ "n" ] } } noretur:2000 ntos
12:50:01.171 [conn25378] authenticate db: local { authenticate: 1, nonce: "7fe2bdf27b90dbcb", user: "__system", key: "2a29e9d995657769fb9243f384862a" }
12:50:03.158 [conn19126] query jerome5.Example query: { query: { lc: "fin", group: "all", indices.textLc: { $in: [ "jättää" ] } }, $hint: "indices.textLc_1_group_1_lc
12:50:04.435 [conn19126] query jerome5.Example query: { lc: "fin", group: "all", indices.text: { $in: [ "jättää" ] }, indices.textLc: { $in: [ "jättää" ] } } noretur:
12:50:05.820 [conn19126] query jerome5.Example query: { lc: "nor", group: "all", indices.text: { $in: [ "låtskriver" ] } }, indices.textLc: { $in: [ "låtskriver" ] } } n
12:50:09.550 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33456
12:50:14.763 [conn19126] query jerome5.Example query: { query: { cExists: true, lc: "jap", group: "all", indices.textLc: { $in: [ "wc" ] } }, $hint: "indices.textLc_1
12:50:15.481 [conn25380] authenticate db: local { authenticate: 1, nonce: "8d2476eb639afcad", user: "__system", key: "f8644f8526ef7c03560dd838e4cef950" }
12:50:18.172 [conn19126] query jerome5.Example query: { query: { lc: "sve", group: "all", indices.textLc: { $in: [ "ranka" ] } }, $hint: "indices.textLc_1_group_1_lc_1
12:50:18.961 [conn19126] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:140835 140ms
12:50:32.128 [conn25381] authenticate db: local { authenticate: 1, nonce: "efdc8857d9c48da2", user: "__system", key: "80af2f26bc732db1cd5eb578c7e2a4954e" }
12:50:34.747 [conn25152] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lc: "fra" }, { wordCount: { $lte: 9 } }, { $or: [ { trans: "eng_US" }, { trans: "
12:50:36.081 [conn18518] query jerome5.Example query: { query: { lc: "esl", group: "all", indices.textLc: { $in: [ "memoria" ] } }, $hint: "indices.textLc_1_group_1_lc
12:50:41.173 [conn18518] query jerome5.Example query: { lc: "esl", group: "all", indices.text: { $in: [ "memoria" ] }, indices.textLc: { $in: [ "memoria" ] } } noretu
12:50:45.505 [conn25382] authenticate db: local { authenticate: 1, nonce: "9a02021954196999", user: "__system", key: "0c39959d4d37e3aaf6756e8bfff7174" }
12:50:49.994 [conn19126] query jerome5.Example query: { lc: "sve", group: "all", indices.text: { $in: [ "stupat" ] }, indices.textLc: { $in: [ "stupat" ] } } noretur:
12:50:52.262 [conn18848] query jerome5.Example query: { lc: "fra", group: "all", indices.text: { $in: [ "voici" ] }, indices.textLc: { $in: [ "voici" ] } } noretur:2
12:50:56.124 [conn19126] query jerome5.Example query: { query: { lc: "eng", group: "all", indices.textLc: { $in: [ "aggregate" ] } }, $hint: "indices.textLc_1_group_1
12:50:56.827 [conn19126] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "aggregate" ] }, indices.textLc: { $in: [ "aggregate" ] } } nto
12:50:58.163 [conn18519] insert jerome5.HitLog ninserted:1 keyUpdates:0 locks(micros) w:387020 193ms
12:51:03.012 [conn25383] authenticate db: local { authenticate: 1, nonce: "25b4ffffe0ec7967", user: "__system", key: "b32d47ada811ce49f55441662ca2987da" }
12:51:05.480 [conn18848] query jerome5.Example query: { lc: "fra", group: "all", indices.text: { $in: [ "quelque chose" ] }, indices.textLc: { $in: [ "quelque chose" ] } }
12:51:07.272 [conn19126] query jerome5.Example query: { lc: "esl", group: "all", indices.text: { $in: [ "Opera" ] }, indices.textLc: { $in: [ "opera" ] } } noretur:2
12:51:09.571 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33464
12:51:15.532 [conn25385] authenticate db: local { authenticate: 1, nonce: "9b0a0d338ef122a", user: "__system", key: "a6efe7f83c7ad36e723bef1c9e54517e" }
12:51:16.544 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:51:27.844 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:51:28.794 [conn25386] authenticate db: admin { authenticate: 1, user: "mmsagent", nonce: "f097d2f5e0830acb", key: "b07981f6e05b7eba433ad77b89657af" }
12:51:28.923 [conn17134] command jerome5.$cmd command: { count: "Example", query: { cExists: true, lc: "eng", $or: [ { trans: "eng_US" }, { trans: "eng" } ], wordCoun
12:51:28.923 [conn25386] command admin.$cmd command: { serverStatus: 1 } noretur:1 keyUpdates:0 locks(micros) r:16 reslen:3370 128ms
12:51:29.124 [conn19126] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:128956 128ms
12:51:30.235 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:51:30.393 [conn18518] command jerome5.$cmd command: { count: "Example", query: { cExists: true, lc: "eng", trans: "esl", wordCount: { $lte: 2 }, pattern: false, $o
12:51:31.275 [conn18518] query jerome5.Unit query: { wpm: { $gte: 0.008999999912569809 }, tlc: { $in: [ "masculine" ] }, lc: { $in: [ "por", "est", "pol", "vie", "isl"
12:51:31.817 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:51:33.989 [conn25387] authenticate db: local { authenticate: 1, nonce: "d0ac6e84a7fecfb0", user: "__system", key: "8a0257c39e2b0c603a30fb92f43e78aa" }
12:51:36.146 [conn19126] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:51:38.646 [conn19126] query jerome5.Unit query: { wpm: { $gte: 0.008999999912569809 }, tlc: { $in: [ "domain", "usage" ] }, lc: { $in: [ "por", "est", "pol", "vie",
12:51:45.558 [conn25388] authenticate db: local { authenticate: 1, nonce: "f7f03f5e4d449b2c", user: "__system", key: "c7c86876a398b8c8bb59afecb8f65c" }
12:51:49.830 [conn19126] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "Marino" ] }, indices.textLc: { $in: [ "marino" ] } } noretur:
12:51:59.669 [conn25389] authenticate db: admin { authenticate: 1, user: "mmsagent", nonce: "e2d09a172a3548b6", key: "805c79b75b477404dbell6fad7ff59a5" }
12:51:59.701 [conn25389] command denied: { profile: -1 }
12:51:59.710 [conn25389] command denied: { profile: -1 }
12:51:59.713 [conn25389] command denied: { profile: -1 }
12:51:59.717 [conn25389] command denied: { profile: -1 }
12:52:03.171 [conn18518] query jerome5.Example query: { query: { cExists: true, lc: "ron", group: "all", indices.textLc: { $in: [ "pământ" ] } }, $hint: "indices.text
12:52:04.143 [conn17118] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:268550 268ms
12:52:04.216 [conn18518] query jerome5.Example query: { query: { lc: "ron", group: "all", indices.textLc: { $in: [ "pământ" ] } }, $hint: "indices.textLc_1_group_1_lc
12:52:04.968 [conn25390] authenticate db: local { authenticate: 1, nonce: "463b56a92823909d", user: "__system", key: "9533ad1fdffaa14dd4afeld72cb8a900" }
12:52:09.592 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33472
12:52:12.025 [conn17129] query jerome5.Example query: { lc: "sve", $or: [ { group: "idea" }, { group: "all" } ], indices.text: { $in: [ "överskottet" ] }, indices.text
12:52:15.596 [conn25392] authenticate db: local { authenticate: 1, nonce: "16bb512a0e91fcf1", user: "__system", key: "dc5f15af16be19cb4f8f7324892966f" }
12:52:15.768 [conn18519] query jerome5.Example query: { lc: "deu", group: "all", indices.text: { $in: [ "irgendein" ] }, indices.textLc: { $in: [ "irgendein" ] } } nto
12:52:28.394 [conn18519] query jerome5.Example query: { query: { cExists: true, lc: "sve", group: "all", indices.textLc: { $in: [ "soga folvet med; trycka ner i skorn
12:52:28.458 [conn25154] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "fra" }, { wordCount: { $lte: 4
12:52:29.623 [conn17129] insert jerome5.ExtendedLog ninserted:1 keyUpdates:0 locks(micros) w:22718 101ms
12:52:30.088 [conn18519] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:129453 129ms
12:52:30.198 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { $or: [ { trans: "eng_US" }, { trans: "
12:52:30.984 [conn17118] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:429657 214ms
12:52:32.221 [conn18519] query jerome5.Example query: { query: { lc: "nld", group: "all", indices.textLc: { $in: [ "voordracht" ] } }, $hint: "indices.textLc_1_group_1
12:52:32.445 [conn18519] query jerome5.Example query: { lc: "nld", group: "all", indices.text: { $in: [ "voordracht" ] }, indices.textLc: { $in: [ "voordracht" ] } } n
12:52:35.928 [conn25393] authenticate db: local { authenticate: 1, nonce: "d9ec2c319ef48", user: "__system", key: "5f8252c87ec7ad42139b96baade760258" }
12:52:36.307 [conn18518] query jerome5.Example query: { lc: "dan", group: "all", indices.text: { $in: [ "materiale" ] }, indices.textLc: { $in: [ "materiale" ] } } nto
12:52:41.289 [conn18519] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "fra" }, { wordCount: { $lte: 1
12:52:41.439 [conn18519] query jerome5.Example query: { query: { lc: "dan", group: "all", indices.textLc: { $in: [ "antenne" ] } }, $hint: "indices.textLc_1_group_1_lc
12:52:45.632 [conn25394] authenticate db: local { authenticate: 1, nonce: "f8f5b2fb927fed88", user: "__system", key: "627d9aecf985c6b2086d24d3971ff0" }
12:52:58.363 [conn18519] query jerome5.Example query: { lc: "rus", group: "all", indices.text: { $in: [ "rep6" ] }, indices.textLc: { $in: [ "rep6" ] } } noretur:200
12:53:04.749 [conn18519] query jerome5.Example query: { lc: "sve", group: "all", indices.text: { $in: [ "glömde" ] }, indices.textLc: { $in: [ "glömde" ] } } noretur:
12:53:06.815 [conn25395] authenticate db: local { authenticate: 1, nonce: "c9977125460db1a3", user: "__system", key: "1490fb867d0a904807c2cf12311b5b02" }
12:53:09.613 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33480
12:53:13.479 [conn17118] query jerome5.Example query: { lc: "sve", $or: [ { group: "idea" }, { group: "all" } ], indices.text: { $in: [ "regeringschefen" ] }, indices.
12:53:14.312 [conn18519] query jerome5.Example query: { query: { cExists: true, lc: "isl", group: "all", indices.textLc: { $in: [ "litillakkun" ] } }, $hint: "indices
12:53:15.649 [conn25397] authenticate db: local { authenticate: 1, nonce: "7fd251b198a06da3", user: "__system", key: "99c44d1f9b180849df66e02af45647" }
12:53:23.246 [conn17118] update jerome5.Unit query: { t: "regeringschefen", lc: "sve" }, update: { $set: { f: 1, lastMod: new Date(137440003102), words: 2, wpm: 0.039787
12:53:24.931 [conn18518] query jerome5.Example query: { query: { lc: "sve", group: "all", indices.textLc: { $in: [ "glömda" ] } }, $hint: "indices.textLc_1_group_1_lc
12:53:25.340 [conn18518] query jerome5.Example query: { lc: "sve", group: "all", indices.text: { $in: [ "glömda" ] }, indices.textLc: { $in: [ "glömda" ] } } noretur:
12:53:27.989 [conn18518] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "hradec", lc: "deu" }, { $project: { f: 1, id: 0 } }, { $gr
12:53:37.796 [conn25398] authenticate db: local { authenticate: 1, nonce: "e7e4717cae04b346", user: "__system", key: "82b757433994085cced1a3598eccc65" }
12:53:41.670 [conn18518] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "appreciation" ] }, indices.textLc: { $in: [ "appreciation" ] } }
12:53:45.677 [conn25394] authenticate db: local { authenticate: 1, nonce: "87b5705cbe7f9977", user: "__system", key: "defaebba378cf691ad5a30d47652e3" }

```



```

13:07:10.223 [rsHealthPoll] replSet info haga.transmachina.net:27017 heartbeat failed, retrying
13:07:12.280 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:12.337 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:12.386 [rsHealthPoll] replSet info haga.transmachina.net:27017 heartbeat failed, retrying
13:07:12.450 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:12.515 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:12.575 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:13.250 [conn17100] query jerome5.Unit query: { wpm: { $gte: 0.008999999912569809 }, t: { $in: [ "president", "Elections", "Mr", "former", "received", "from", "ed
13:07:14.665 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:14.717 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:14.786 [rsHealthPoll] replSet info haga.transmachina.net:27017 heartbeat failed, retrying
13:07:14.945 [conn18518] query jerome5.Language query: { $lte: 303 } nstoreturn:1 ntskip:0 nscanned:1 keyUpdates:0 locks(micros) r:123382 returned:1 resLen:38 123ms
13:07:14.999 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:15.059 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:15.126 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:15.233 [conn17100] getmore jerome5.Unit query: { wpm: { $gte: 0.008999999912569809 }, t: { $in: [ "president", "Elections", "Mr", "former", "received", "from", "
13:07:16.495 [conn25465] authenticate db: local { authenticate: 1, nonce: "7e3d3f47c0fc7deb", user: "__system", key: "33da8e9f36aa6a08fc6b67fd9ed84d" }
13:07:16.660 [conn17132] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "law", "articles", "positivo", "direito", "eleitoral positivo", "book direito e
13:07:16.748 [conn17100] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "torquato jardim", "attorney and former", "former", "justice", "electoral", "su
13:07:16.818 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:07:17.025 [conn17100] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:07:17.116 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:07:17.202 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:17.257 [conn17109] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "president", "elections", "elections law", "institute of elections", "jardim is
13:07:17.269 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:17.301 [conn17118] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "university of michigan", "received his education", "law school", "received", "
13:07:17.332 [rsHealthPoll] replSet info haga.transmachina.net:27017 heartbeat failed, retrying
13:07:17.400 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:17.453 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:17.508 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:19.563 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:19.622 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:19.680 [rsHealthPoll] replSet info haga.transmachina.net:27017 heartbeat failed, retrying
13:07:19.706 [conn17118] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "undp", "senior consultant", "consultant", "mohammad", "undp in somalia", "moha
13:07:19.735 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:19.798 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:19.854 [rsHealthPoll] couldn't connect to haga.transmachina.net:27017: couldn't connect to server haga.transmachina.net:27017
13:07:20.281 [conn17118] getmore jerome5.Unit query: { wpm: { $gte: 0.008999999912569809 }, t: { $in: [ "Constitution", "for", "Kadrigamar", "Building", "Sri", "Prior"
13:07:20.850 [conn17118] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "project manager", "sakuntala kadrigamar-rajasingham", "constitution", "program
13:07:21.108 [conn25466] authenticate db: local { authenticate: 1, nonce: "d7b98f8b6369c1a", user: "__system", key: "876995646d7ea7027df3e82da2ea201" }
13:07:21.540 [conn25467] authenticate db: local { authenticate: 1, nonce: "5e60e94fd06fa97", user: "__system", key: "22098c91b205762f356df0ee7c5306b" }
13:07:22.210 [rsHealthPoll] replSet member haga.transmachina.net:27017 is up
13:07:22.210 [rsHealthPoll] replSet member haga.transmachina.net:27017 is now in state STARTUP2
13:07:22.570 [conn17129] query jerome5.Unit query: { wpm: { $gte: 0.008999999912569809 }, t: { $in: [ "Zaid", "arbitration", "Regional", "since", "Iraq", "London", "Sc
13:07:22.572 [conn17134] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "constitution building project", "south asia program", "constitution", "head", "
13:07:22.742 [conn17074] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "legal", "literacy", "violence", "contributor to publications", "regular", "lit
13:07:22.937 [conn17074] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:07:22.968 [conn17129] getmore jerome5.Unit query: { wpm: { $gte: 0.008999999912569809 }, t: { $in: [ "Zaid", "arbitration", "Regional", "since", "Iraq", "London", "
13:07:23.110 [conn17118] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "lanka", "institute for research", "sri", "marga institute", "research and deve
13:07:23.160 [conn17132] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "legal", "member", "ngo promoting women", "women", "rights", "former", "develop
13:07:23.218 [conn17109] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "society", "development of human", "human rights", "lanka", "development", "con
13:07:23.297 [conn17100] query jerome5.Unit query: { $query: { lc: "eng", tlc: { $in: [ "legal", "labor standards", "afrikan", "status", "bank", "legal status", "count
13:07:23.363 [conn17074] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:07:23.790 [conn17100] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:07:24.260 [rsHealthPoll] replSet member haga.transmachina.net:27017 is now in state SECONDARY
13:07:25.005 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:07:26.551 [conn25468] authenticate db: local { authenticate: 1, nonce: "fa9fb367eeef7c7c", user: "__system", key: "5752378174154f427aae98112ea33b85" }
13:07:27.541 [conn25469] authenticate db: local { authenticate: 1, nonce: "81ff65b8620af603", user: "__system", key: "78a39164f1e2489ab678e464e1daf266" }
13:07:32.143 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 5
13:07:32.606 [conn18518] insert jerome5.TranslationResult inserted:1 keyUpdates:0 locks(micros) w:131093 131ms
13:07:36.039 [conn25470] authenticate db: local { authenticate: 1, nonce: "b95c9cde133a766", user: "__system", key: "d92d5bec09c6356a6a6bcac8dbd3fae5" }
13:07:44.869 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:07:46.621 [conn25471] authenticate db: local { authenticate: 1, nonce: "231b7e12efc0be3a", user: "__system", key: "ef1e0d6e0b0b85ee183c1151ea6bb8" }
13:07:46.996 [conn18519] query jerome5.Example query: { query: { lc: "eng", group: "all", indices.textLc: { $in: [ "communicate" ] }, $hint: "indices.textLc_l_group
13:07:48.778 [conn18519] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "communicate" ] }, indices.textLc: { $in: [ "communicate" ] }
13:07:59.159 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 4
13:08:06.537 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:08:06.664 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 5
13:08:07.013 [conn25472] authenticate db: local { authenticate: 1, nonce: "73bee85b531a639", user: "__system", key: "ebec3d9a578f145b192bf0daa0f11dc6" }
13:08:09.941 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33632
13:08:15.695 [conn18519] query jerome5.Example query: { query: { lc: "isl", group: "all", indices.textLc: { $in: [ "skjaldarmerki" ] }, $hint: "indices.textLc_l_grou
13:08:15.833 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:08:16.549 [conn25474] authenticate db: local { authenticate: 1, nonce: "ec374c8032ba8072", user: "__system", key: "dcd3bb26d14c972b449b5bc4bed8ad7" }
13:08:23.936 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3
13:08:23.946 [conn18519] query jerome5.Example query: { query: { cExists: true, lc: "nld", group: "all", indices.textLc: { $in: [ "bridge/verklarende woordenlijst" ] }, $
13:08:25.052 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:08:28.595 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:08:31.007 [conn17100] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", $or: [ { group: "cn" }, { group: "all" } ], tlcHash2: 325011143, textLc
13:08:31.565 [conn17132] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", $or: [ { group: "cn" }, { group: "all" } ], tlcHash2: 17240481214, textL
13:08:31.979 [conn17100] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:08:37.191 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:08:37.198 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:08:37.988 [conn25475] authenticate db: local { authenticate: 1, nonce: "32ad575a9737c47e", user: "__system", key: "34b89e101cb2b090c4f8034ab59e7f84" }
13:08:46.599 [conn25476] authenticate db: local { authenticate: 1, nonce: "e28fafe1234a3d0e", user: "__system", key: "9db37f1d6f8d455a27689ce4872d1e" }
13:08:47.257 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3
13:08:47.258 [conn17074] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3
13:08:56.936 [conn18519] query jerome5.Example query: { query: { lc: "eng", group: "all", indices.textLc: { $in: [ "blasted" ] }, $hint: "indices.textLc_l_group_1lc
13:08:56.993 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 3
13:08:57.941 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3
13:08:58.403 [conn17129] query jerome5.ExternalTranslationLog query: { c: "The situation with IDEA databases was problematic for both users and staff", fl: "eng", tl:
13:09:02.047 [conn18519] query jerome5.Example query: { query: { cExists: true, lc: "ita", group: "all", indices.textLc: { $in: [ "opéra national de paris" ] }, $hi
13:09:02.089 [conn17100] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 4
13:09:02.314 [conn17100] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 4
13:09:05.425 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:09:08.965 [conn25477] authenticate db: local { authenticate: 1, nonce: "f7528ccb396043ed", user: "__system", key: "6df03c06c817d7cbe8284b677ea16f" }
13:09:09.963 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33640
13:09:14.240 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:09:14.660 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:09:14.962 [conn17074] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 4
13:09:16.647 [conn25479] authenticate db: local { authenticate: 1, nonce: "353dfdb3b7c64f8", user: "__system", key: "04759554a45897a2d89e67d4df44d7" }
13:09:18.754 [conn17115] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true, lc: "jap", trans: "eng", $or: [ { group: "transmachina" }, { group:
13:09:18.925 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true, lc: "jap", trans: "eng", $or: [ { group: "transmachina" }, { group:
13:09:20.530 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true, lc: "jap", trans: "eng", $or: [ { group: "transmachina" }, { group:
13:09:21.304 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true, lc: "jap", trans: "eng", $or: [ { group: "transmachina" }, { group:
13:09:21.467 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:09:21.506 [conn17074] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3
13:09:21.741 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:09:21.813 [conn17074] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3
13:09:22.443 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true, lc: "jap", trans: "eng", $or: [ { group: "transmachina" }, { group:
13:09:23.145 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true, lc: "jap", trans: "eng", $or: [ { group: "transmachina" }, { group:
13:09:26.876 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true, lc: "jap", trans: "eng", $or: [ { group: "transmachina" }, { group:
13:09:27.572 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 7
13:09:27.675 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true, lc: "jap", trans: "eng", $or: [ { group: "transmachina" }, { group:
13:09:28.993 [conn17132] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", $or: [ { group: "cn" }, { group: "all" } ], tlcHash2: 159540088, textLc
13:09:29.244 [conn18519] query jerome5.Unit query: { t: "Anscheinsaffen", lc: "deu" } nstoreturn:1 ntskip:0 nscanned:1 keyUpdates:0 locks(micros) r:1529 returned:1 re
13:09:30.679 [conn17074] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:09:30.682 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 3
13:09:30.685 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 3
13:09:30.936 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3
13:09:31.236 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1

```



```

13:09:31.236 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 3
13:09:31.704 [conn17074] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:09:32.209 [conn17134] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", $or: [ { group: "cn" }, { group: "all" } ], tlchash2: 1712322848, textLc:
13:09:33.083 [conn17132] query jerome5.ExternalTranslationLog query: { c: "i.e. given a title, an example, notes to staff about the correct format, and formatting inst
13:09:33.510 [conn18519] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:270829 135ms
13:09:33.580 [conn18519] query jerome5.Unit query: { t: "heterotic string theory", lc: "eng" } nreturn:1 nskip:0 nscanned:1 keyUpdates:0 locks(micros) r:202483 nre
13:09:33.969 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:09:33.969 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:09:38.185 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:09:38.185 [conn17115] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:09:38.335 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 2
13:09:38.335 [conn17074] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 2
13:09:39.947 [conn25480] authenticate db: local { authenticate: 1, nonce: "6502beec7e9be415", user: "__system", key: "b344efaf0f77629d449fa96f164cb0d8" }
13:09:41.036 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:09:41.036 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:09:46.673 [conn25481] authenticate db: local { authenticate: 1, nonce: "348ec43c5e4b600f", user: "__system", key: "a71762f4db5c8a6b8b84b3168877a7" }
13:09:49.399 [conn17095] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:09:49.400 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:09:49.648 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 9
13:09:49.648 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 9
13:09:52.804 [conn17100] command jerome5.$cmd command: { count: "Example", query: { cExists: true, lc: "jap", trans: "eng", $or: [ { group: "transmachina" }, { group:
13:09:54.269 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 6
13:10:00.573 [conn25389] command denied: { profile: -1 }
13:10:00.582 [conn25389] command denied: { profile: -1 }
13:10:00.586 [conn25389] command denied: { profile: -1 }
13:10:00.589 [conn25389] command denied: { profile: -1 }
13:10:05.513 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:10:05.513 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:10:07.831 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:10:07.839 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 2
13:10:07.995 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 3
13:10:07.995 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 3
13:10:08.229 [conn17134] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 3
13:10:08.229 [conn19126] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "van", lc: "deu" } }, { $project: { f: 1, _id: 0 } }, { $group
13:10:09.984 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33648
13:10:10.800 [conn17134] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", tlchash2: -973187791, textLc: "while the unified database could be used
13:10:10.800 [conn17100] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 7
13:10:10.829 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 7
13:10:10.930 [conn25483] authenticate db: local { authenticate: 1, nonce: "56fb0ce4f09c6c9", user: "__system", key: "2e35cb10794abb8ba0dc76fbc9de9e1" }
13:10:11.625 [conn19126] query jerome5.Example query: { query: { lc: "sve", group: "all", indices.textLc: { $in: [ "tekniska högskolans studentkår" ] } }, $hint: "indi
13:10:13.256 [conn17076] query jerome5.Example query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "fra" }, { wordCount: { $lte: 18 } }, { wordCount: { $gte:
13:10:16.711 [conn25484] authenticate db: local { authenticate: 1, nonce: "6cb50a3744fb1030", user: "__system", key: "c722cad19e23b70c70f0fe8ff817e10b" }
13:10:33.115 [conn18519] query jerome5.Example query: { query: { cExists: true, lc: "slk", group: "all", indices.textLc: { $in: [ "ölski politici" ] } }, $hint: "ind
13:10:35.390 [conn19126] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:473759 236ms
13:10:35.764 [conn19126] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "qwerty", lc: "nor" } }, { $project: { f: 1, _id: 0 } }, { $gr
13:10:36.224 [conn19126] query jerome5.Example query: { query: { lc: "nor", group: "all", indices.textLc: { $in: [ "qwerty" ] } }, $hint: "indices.textLc_1_group_1_lc
13:10:41.908 [conn25485] authenticate db: local { authenticate: 1, nonce: "c1ae9231ee3f449", user: "__system", key: "eb920364c87f6ec3c842d55383d1559" }
13:10:46.733 [conn25486] authenticate db: local { authenticate: 1, nonce: "bc9052c776cfb0f6", user: "__system", key: "926ba1932e437681aef5d8f8bd41f20" }
13:11:09.050 [conn18519] query jerome5.Example query: { lc: "fra", group: "all", indices.text: { $in: [ "Vienne" ] }, indices.textLc: { $in: [ "vienn" ] } nreturn
13:11:10.006 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33656
13:11:12.884 [conn25488] authenticate db: local { authenticate: 1, nonce: "a3cd008d9844b3ae", user: "__system", key: "c7dae66e811485b4407f9896balf88" }
13:11:16.762 [conn25489] authenticate db: local { authenticate: 1, nonce: "d6517c8c5251654a", user: "__system", key: "5a4c1303b1249330fd6c6ba083d22614" }
13:11:28.253 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "jap" }, { wordCount: { $lte: 1
13:11:28.292 [conn18518] query jerome5.Example query: { (cl: ObjectId(44df51ab83e7a3c3e77b0386) ) nreturn:0 nskip:0 nscanned:28 keyUpdates:0 numYields: 2 locks(mi
13:11:29.669 [conn17132] query jerome5.Example query: { (cl: ObjectId(44df50aa3e7a3c3e77b0386) ) nreturn:0 nskip:0 nscanned:1 keyUpdates:
13:11:30.150 [conn17132] query jerome5.Example query: { (cl: ObjectId(44df501093e7ae000f4939a90) ) nreturn:0 nskip:0 nscanned:1 keyUpdates:
13:11:31.903 [conn18518] insert jerome5.Unit ninserted:1 keyUpdates:0 locks(micros) w:56590 123ms
13:11:32.369 [conn18519] query jerome5.Example query: { lc: "esl", group: "all", indices.text: { $in: [ "representar" ] }, indices.textLc: { $in: [ "representar" ] } }
13:11:35.177 [conn17118] insert jerome5.ExtendedLog ninserted:1 keyUpdates:0 locks(micros) w:712823 712ms
13:11:35.388 [conn17132] query jerome5.Example query: { $uid: 162490, tps.eng: "images/favicon.ico" } nreturn:1 nskip:0 nscanned:3010 keyUpdates:0 numYields: 1 1
13:11:41.689 [conn19126] query jerome5.Example query: { lc: "eng", group: "all", indices.textLc: { $in: [ "changing" ] }, indices.textLc: { $in: [ "changing" ] } } nre
13:11:43.861 [conn25490] authenticate db: local { authenticate: 1, nonce: "facec12ea16344dc", user: "__system", key: "3e56f42279d173a15a226cbb8290e3f" }
13:11:46.787 [conn25491] authenticate db: local { authenticate: 1, nonce: "c0d1235e68042a2f", user: "__system", key: "6f211e7e537991002f07e8507b18654d" }
13:11:58.339 [conn19126] query jerome5.Unit query: { t: "eldhætur", lc: "isl" } nreturn:1 nskip:0 nscanned:1 keyUpdates:0 locks(micros) r:309 nreturned:1 reslen:3
13:12:03.392 [conn18518] query jerome5.Example query: { lc: "nld", group: "all", indices.text: { $in: [ "personen" ] }, indices.textLc: { $in: [ "personen" ] } } nre
13:12:10.026 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33664
13:12:14.841 [conn25493] authenticate db: local { authenticate: 1, nonce: "6581b02644e636e9", user: "__system", key: "638b3c7f0fd0a954ed240051f24a6678f" }
13:12:16.812 [conn25494] authenticate db: local { authenticate: 1, nonce: "b7c990edde4bf77", user: "__system", key: "1a0e1510a094c18da2bdac3d9e23ebfe" }
13:12:30.429 [conn18518] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:122183 107ms
13:12:30.741 [conn19126] query jerome5.Example query: { query: { cExists: true, lc: "fin", group: "all", indices.textLc: { $in: [ "socket 754" ] } }, $hint: "indices.
13:12:31.046 [conn19126] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:270822 270ms
13:12:31.933 [conn18519] query jerome5.Example query: { query: { lc: "sve", group: "all", indices.textLc: { $in: [ "vidunderlig" ] } }, $hint: "indices.textLc_1_group
13:12:34.783 [conn18518] query jerome5.Example query: { query: { cExists: true, lc: "ita", group: "all", indices.textLc: { $in: [ "grafatica" ] } }, $hint: "indices.t
13:12:34.739 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 1
13:12:45.802 [conn25495] authenticate db: local { authenticate: 1, nonce: "702539c45d4684bf", user: "__system", key: "8d2ab92cc1bd49c4da0a2a4677b609b4" }
13:12:46.839 [conn25496] authenticate db: local { authenticate: 1, nonce: "2115855262c20f", user: "__system", key: "372ad7dadd27c7a60384f66004a4fdb" }
13:13:04.025 [conn17118] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", $or: [ { group: "cn" }, { group: "all" } ], tlchash2: -836918885, textLc
13:13:04.533 [conn18518] insert jerome5.HitLog ninserted:1 keyUpdates:0 locks(micros) w:227073 113ms
13:13:07.786 [conn18518] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "dis", lc: "deu" } }, { $project: { f: 1, _id: 0 } }, { $group
13:13:10.409 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33672
13:13:16.693 [conn25498] authenticate db: local { authenticate: 1, nonce: "fa9980f9c790c0bc", user: "__system", key: "bc65432044860b144fd280c5783533a" }
13:13:16.688 [conn25499] authenticate db: local { authenticate: 1, nonce: "7adcfabcb40ef6e3", user: "__system", key: "89bc1124ceabf29ae22181374d44347" }
13:13:17.536 [conn18518] query jerome5.Example query: { query: { lc: "deu", group: "all", indices.text: { $in: [ "Admiralitäts" ] }, indices.textLc: { $in: [ "admiralit
13:13:17.745 [conn18518] query jerome5.Example query: { query: { lc: "deu", group: "all", indices.text: { $in: [ "Admiralitäts" ] }, indices.textLc: { $in: [ "admiralit
13:13:30.360 [conn18519] query jerome5.Example query: { query: { lc: "deu", group: "all", indices.text: { $in: [ "zügel" ] }, indices.textLc: { $in: [ "zügel" ] } }
13:13:31.168 [conn18518] query jerome5.Example query: { query: { cExists: true, lc: "deu", group: "all", indices.text: { $in: [ "Hayashi yoshiaki" ] }, indices.textLc:
13:13:46.998 [conn25500] authenticate db: local { authenticate: 1, nonce: "9e6e2b66db2f93a", user: "__system", key: "e68185f6cc0f2d4340af828ed15b1" }
13:13:47.693 [conn25501] authenticate db: local { authenticate: 1, nonce: "2fa2996be8218df0", user: "__system", key: "306e93cdcecd6f238170bb16e9ced3b2" }
13:14:10.080 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33682
13:14:16.943 [conn25503] authenticate db: local { authenticate: 1, nonce: "a4a5da78e8b5384", user: "__system", key: "4b99f7517d989af1f2241d42dd135cd3" }
13:14:18.676 [conn25504] authenticate db: local { authenticate: 1, nonce: "356374d66c35de39", user: "__system", key: "a661232a41e5aafac8f6b8ee364d0e" }
13:14:25.919 [conn18519] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:203963 102ms
13:14:30.767 [conn18519] query jerome5.Example query: { query: { cExists: true, lc: "deu", group: "all", indices.text: { $in: [ "barrier-option" ] }, indices.textLc:
13:14:31.786 [conn18519] query jerome5.Example query: { query: { cExists: true, lc: "deu", group: "all", indices.textLc: { $in: [ "MOB03HGUB" ] } }, $hint: "indices.
13:14:46.975 [conn25505] authenticate db: local { authenticate: 1, nonce: "560a281013fdda63", user: "__system", key: "17022802166b31b7e6c5155bebcfa68" }
13:14:49.657 [conn25506] authenticate db: local { authenticate: 1, nonce: "ca238f4687c0d333", user: "__system", key: "e045366540792f5e82d2e665ff89b8be" }
13:14:59.240 [conn18518] insert jerome5.HitLog ninserted:1 keyUpdates:0 locks(micros) w:506975 253ms
13:15:10.102 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33690
13:15:17.000 [conn25508] authenticate db: local { authenticate: 1, nonce: "e47e3f2b9cc9460a", user: "__system", key: "a23f1322e0f9025869a42e2a15817627" }
13:15:20.619 [conn25509] authenticate db: local { authenticate: 1, nonce: "b07eb9842aadd9a", user: "__system", key: "29d2f559b83ec3ca2e617bb52f42d30de" }
13:15:29.366 [conn18519] update jerome5.Unit query: { _id: ObjectId('4ee3889e4b074558887557a') update: { _id: ObjectId('4ee3889e4b074558887557a'), t: ".xxx", tl: 3
13:15:29.612 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "ara" }, { wordCount: { $lte: 1
13:15:29.873 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "ara" }, { wordCount: { $lte: 1
13:15:30.710 [conn17118] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", $or: [ { group: "cn" }, { group: "all" } ], tlchash2: -1797043169, textLc
13:15:47.025 [conn25510] authenticate db: local { authenticate: 1, nonce: "872687b6fd0d0285", user: "__system", key: "cb92f766f6b7890768b500949e8f794" }
13:15:51.505 [conn25511] authenticate db: local { authenticate: 1, nonce: "89da0c534de0a68d7", user: "__system", key: "ef3c88f46c4f3a2db0af084259f6e332" }
13:15:54.379 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "fra" }, { wordCount: { $lte: 4
13:15:54.383 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "fra" }, { wordCount: { $lte: 3
13:15:54.565 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "fra" }, { wordCount: { $lte: 2
13:15:54.577 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "fra" }, { wordCount: { $lte: 3
13:16:10.124 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33698
13:16:14.091 [conn18519] query jerome5.Example query: { query: { cExists: true, lc: "fin", group: "all", indices.textLc: { $in: [ "superhappo" ] } }, $hint: "indices.
13:16:17.053 [conn25513] authenticate db: local { authenticate: 1, nonce: "9606b4c4b909d91", user: "__system", key: "ca9f7924e1f5040944580ba7310290" }
13:16:22.505 [conn25514] authenticate db: local { authenticate: 1, nonce: "d336a0a95fbc37e2", user: "__system", key: "b1028b320328bbaff6772586f8dbdbdb" }
13:16:29.825 [conn18518] query jerome5.Example query: { query: { lc: "por", group: "all", indices.textLc: { $in: [ "co adrianae" ] } }, $hint: "indices.textLc_1_group
13:16:35.040 [conn18518] query jerome5.Example query: { query: { cExists: true, lc: "ita", group: "all", indices.textLc: { $in: [ "inflammabile" ] } }, $hint: "indice
13:16:35.234 [conn18518] query jerome5.Example query: { query: { lc: "ita", group: "all", indices.textLc: { $in: [ "inflammabile" ] } }, $hint: "indices.textLc_1_group
13:16:36.078 [conn18519] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:339222 169ms
13:16:36.204 [conn17132] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", $or: [ { group: "cn" }, { group: "all" } ], tlchash2: 429072294, textLc:
13:16:36.458 [conn18518] insert jerome5.ViewLog ninserted:1 keyUpdates:0 locks(micros) w:281430 140ms
13:16:37.079 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3
13:16:37.350 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { cExists: true }, { lc: "eng" }, { trans: "esl" }, { wordCount: { $lte: 3

```

```

13:16:37.409 [DataFileSync] flushing mmapfs took 10079ms for 184 files
13:16:38.031 [conn18518] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "outlaw" ] }, indices.textLc: { $in: [ "outlaw" ] } } nreturn
13:16:42.907 [conn18519] query jerome5.Unit query: { lc: "Argumentation", lc: "deu" } nreturn:1 ntokskip:0 nscanned:1 keyUpdates:0 locks(micros) r:113404 nreturned:1 r
13:16:47.079 [conn25515] authenticator db: local { authenticator: 1, nonce: "b9517ae89be6eff5e", user: "_system", key: "8509b0195b383bbe18a189a0ea9b0957" }
13:16:53.485 [conn25516] authenticator db: local { authenticator: 1, nonce: "faa80ca988c34a2", user: "_system", key: "b923590528b7283bc553d6e1d8b25a0" }
13:17:10.145 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33774
13:17:17.130 [conn25518] authenticator db: local { authenticator: 1, nonce: "442f8bd36100075", user: "_system", key: "48944908ba1b1419faa51ffff4b3ba3b0" }
13:17:24.463 [conn25519] authenticator db: local { authenticator: 1, nonce: "87dabec03a712f14", user: "_system", key: "2d0851ce8af3b10ba4c7701c86eafccf" }
13:17:24.785 [conn18519] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "verification" ] }, indices.textLc: { $in: [ "verification" ] } }
13:17:30.611 [conn19126] insert jerome5.HitLog ninserted:1 keyUpdates:0 locks(micros) w:285338 142ms
13:17:47.155 [conn25520] authenticator db: local { authenticator: 1, nonce: "d04e48382cb1d97d", user: "_system", key: "4f15ff29ae3f0a0d8d8091e032057de" }
13:17:47.903 [conn17109] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", $or: [ { group: "cn" }, { group: "all" } ] }, $hint: "-468421004, textLc
13:17:55.446 [conn25521] authenticator db: local { authenticator: 1, nonce: "59d83ddcc0c75937", user: "_system", key: "cdd3414979275bdac62a8a63644ca8e9" }
13:18:10.167 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33714
13:18:17.182 [conn25523] authenticator db: local { authenticator: 1, nonce: "993aeabc043c71d", user: "_system", key: "81c5f5b8243d0deaf40ffbf9c69aa95" }
13:18:26.443 [conn25524] authenticator db: local { authenticator: 1, nonce: "96677e8b993844cf", user: "_system", key: "e6a03b6e4cc2a3e561818bc59a654dc" }
13:18:28.693 [conn18518] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "Einstufung", lc: "deu" } }, { $project: { f: 1, _id: 0 } }, {
13:18:28.859 [conn18518] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "ein", lc: "deu" } }, { $project: { f: 1, _id: 0 } }, { $group
13:18:29.031 [conn18518] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "eins", lc: "deu" } }, { $project: { f: 1, _id: 0 } }, { $gro
13:18:29.402 [conn18518] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "ein", lc: "deu" } }, { $project: { f: 1, _id: 0 } }, { $gro
13:18:29.623 [conn18518] command jerome5.$cmd command: { aggregate: "Unit", pipeline: [ { $match: { tlc: "ken", lc: "deu" } }, { $project: { f: 1, _id: 0 } }, { $group
13:18:30.823 [conn25525] authenticator db: admin { authenticator: 1, user: "mmsagent", nonce: "e41e4cd60b8acd29", key: "ce1278ca0f5b48edc2262a26d363845" }
13:18:35.446 [conn18518] query jerome5.Example query: { query: { lc: "deu", group: "all", indices.text: { $in: [ "Eta" ] }, indices.textLc: { $in: [ "eta" ] } }, $hint
13:18:47.207 [conn25526] authenticator db: local { authenticator: 1, nonce: "8c26c692218e2625", user: "_system", key: "af73b3833a045e38a46219ab29751cf5" }
13:18:57.427 [conn25527] authenticator db: local { authenticator: 1, nonce: "4a88abb90a090c05", user: "_system", key: "04dbfeefc389ef43bee9e87a93ed3cc" }
13:19:00.948 [conn25528] authenticator db: admin { authenticator: 1, user: "mmsagent", nonce: "8b2119a029ec700d", key: "a62d67e278f69b3e055ec9ef6b017463" }
13:19:00.978 [conn25528] command denied: { profile: -1 }
13:19:00.987 [conn25528] command denied: { profile: -1 }
13:19:00.991 [conn25528] command denied: { profile: -1 }
13:19:00.994 [conn25528] command denied: { profile: -1 }
13:19:10.189 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33722
13:19:16.493 [conn19126] query jerome5.Example query: { lc: "nld", group: "all", indices.text: { $in: [ "Lissabon" ] }, indices.textLc: { $in: [ "lissabon" ] } } nretor
13:19:17.233 [conn25530] authenticator db: local { authenticator: 1, nonce: "ccb7a0f0af7ee398", user: "_system", key: "a0b9b1alafdf63afa025a3b2edd130a6" }
13:19:28.408 [conn25531] authenticator db: local { authenticator: 1, nonce: "e2ac91dd531da4b", user: "_system", key: "45e4b742d185ab3f876d19f47de9b8d" }
13:19:28.552 [conn19126] query jerome5.Example query: { query: { lcExists: true, lc: "ind", group: "all", indices.textLc: { $in: [ "jam atom" ] } }, $hint: "indices.te
13:19:31.558 [conn18518] query jerome5.Example query: { query: { lc: "eng", group: "all", indices.textLc: { $in: [ "dimmer" ] }, $hint: "indices.textLc_group_1_lc
13:19:32.424 [conn19126] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:706565 354ms
13:19:32.526 [conn18518] query jerome5.Example query: { query: { lcExists: true, lc: "bul", group: "all", indices.textLc: { $in: [ "HEONORM3W" ] } }, $hint: "indices.
13:19:33.473 [conn18518] query jerome5.Example query: { query: { lc: "eng", group: "all", indices.textLc: { $in: [ "adopting" ] } }, $hint: "indices.textLc_group_1_l
13:19:34.320 [conn18518] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "adopting" ] }, indices.textLc: { $in: [ "adopting" ] } } nretor
13:19:40.067 [conn19126] query jerome5.Example query: { lc: "deu", group: "all", indices.text: { $in: [ "Feige" ] }, indices.textLc: { $in: [ "feige" ] } } nreturn:2
13:19:47.259 [conn25532] authenticator db: local { authenticator: 1, nonce: "2405f60d135af1e8", user: "_system", key: "3376255c4e0ebf81eaf374d9d4a9ca5" }
13:19:57.470 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 4
13:19:57.495 [conn18518] query jerome5.Example query: { query: { lc: "ita", group: "all", indices.textLc: { $in: [ "ministro" ] } }, $hint: "indices.textLc_group_1_l
13:19:57.811 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 1
13:19:57.838 [conn18518] query jerome5.Example query: { lc: "ita", group: "all", indices.text: { $in: [ "ministro" ] }, indices.textLc: { $in: [ "ministro" ] } } nretor
13:19:59.373 [conn25533] authenticator db: local { authenticator: 1, nonce: "d48e1bd5ec922aac", user: "_system", key: "e553fba17ee5c0083eeabef16d02" }
13:20:07.926 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 4
13:20:08.389 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 4
13:20:10.211 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33730
13:20:13.437 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 3
13:20:13.617 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 3
13:20:16.015 [conn18519] insert jerome5.TranslationResult ninserted:1 keyUpdates:0 locks(micros) w:561966 561ms
13:20:17.284 [conn25535] authenticator db: local { authenticator: 1, nonce: "6248f84f332c8d8e", user: "_system", key: "b293b0e1a7a86af08c4fb8fce41e6fa6" }
13:20:18.753 [conn17132] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", group: "all", wrongLanguage: false, tlcHash2: -437522962, textLc: "user
13:20:20.755 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 4
13:20:21.162 [conn18519] update jerome5.Unit query: { $id: ObjectId("4ee3fe34e4b074558889bdf7") } update: { $id: ObjectId("4ee3fe34e4b074558889bdf7"), t: "Heliograph",
13:20:21.181 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 2
13:20:21.797 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 2
13:20:29.082 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 2
13:20:29.679 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 2
13:20:30.263 [conn25536] authenticator db: local { authenticator: 1, nonce: "fc308124464b18d", user: "_system", key: "6c662fd0aa22e574506146f70068db7c" }
13:20:30.271 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 2
13:20:38.816 [conn17109] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 2
13:20:41.625 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 4
13:20:46.566 [conn17109] query jerome5.Example query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "fra" }, { wordCount: { $lte: 15 } }, { wordCount: { $gte:
13:20:46.590 [conn17118] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 3
13:20:46.656 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 3
13:20:46.668 [conn17129] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 4
13:20:47.313 [conn25537] authenticator db: local { authenticator: 1, nonce: "681bd5b903c83c51", user: "_system", key: "4989617e32e0986542a5028330b312c" }
13:20:57.503 [conn18519] query jerome5.Example query: { lc: "deu", group: "all", indices.text: { $in: [ "Einsiedler" ] }, indices.textLc: { $in: [ "einsiedler" ] } } n
13:20:58.648 [conn17109] command jerome5.$cmd command: { count: "Example", query: { lc: "eng", tlcHash2: -410306984, textLc: "casting doubt on the judgment of the cour
13:21:01.247 [conn25538] authenticator db: local { authenticator: 1, nonce: "515383f1ce8b241a", user: "_system", key: "b4ffbf8dd39f87b736be08c5606f11" }
13:21:01.790 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 2
13:21:07.058 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 1
13:21:10.233 [websvr] Socket http response send() errno:32 Broken pipe 127.0.0.1:33755
13:21:14.300 [conn18518] query jerome5.Example query: { lc: "esl", group: "all", indices.text: { $in: [ "prólogo" ] }, indices.textLc: { $in: [ "prólogo" ] } } nretoru
13:21:14.492 [conn18519] query jerome5.Example query: { lc: "msa", group: "all", indices.text: { $in: [ "Sekolah" ] }, indices.textLc: { $in: [ "sekolah" ] } } nretoru
13:21:14.518 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 2
13:21:16.318 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 8
13:21:17.363 [conn25540] authenticator db: local { authenticator: 1, nonce: "78c7e47ebd4bc2bd", user: "_system", key: "3c476ffec334e6ecfd846a6e99f01" }
13:21:18.867 [conn18519] query jerome5.Example query: { query: { lc: "eng", group: "all", indices.textLc: { $in: [ "inventing" ] } }, $hint: "indices.textLc_group_1
13:21:19.231 [conn18519] query jerome5.Example query: { lc: "eng", group: "all", indices.text: { $in: [ "inventing" ] }, indices.textLc: { $in: [ "inventing" ] } } ntc
13:21:19.807 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 1
13:21:21.132 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 3
13:21:21.468 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 1
13:21:21.619 [conn17076] query jerome5.Example query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 31 } }, { wordCount: { $gte:
13:21:21.821 [conn17132] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 2
13:21:21.916 [conn17076] command jerome5.$cmd command: { count: "Example", query: { $and: [ { lcExists: true }, { lc: "eng" } ], { trans: "ara" }, { wordCount: { $lte: 3
13:21:22.280 [conn18518] query jerome5.Example query: { query: { lc: "ita", group: "all", indices.textLc: { $in: [ "affermare" ] } }, $hint: "indices.textLc_group_1
13:21:32.245 [conn25541] authenticator db: local { authenticator: 1, nonce: "388e19c0a9d3ff3e", user: "_system", key: "84ecfb89ed832213a2d270ae0236e72" }
13:21:33.088 [conn18518] query jerome5.Example query: { query: { lcExists: true, lc: "ron", group: "all", indices.textLc: { $in: [ "despre" ] } }, $hint: "indices.text
13:21:33.548 [conn18518] query jerome5.Example query: { query: { lc: "ron", group: "all", indices.textLc: { $in: [ "despre" ] } }, $hint: "indices.textLc_group_1_lc

```